



#1 IN HEAVY DUTY VEHILCE LIFTS



Sourcewell

Fleet-Related Maintenance Equipment, Supplies, Services and Inventory Management Solutions

Contract Number: 061015-SKI

Contract Effective Dates: July 21, 2015 - July 21, 2020

200 Log Canoe Circle s Stevensville s Maryland s 410-643-9001 s 800-336-6637 s 410-643-8901 (fax)

2018 PRICE LIST Edition 2 December 1

MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

First letter of three following model number, i.e. ST1085-2FWA, first letter always represents the wheels.
F=Fixed wheels and R=Retractable wheels

Second letter of three following model number, i.e. ST1085-2FWA, second letter always represents the controls.
S=Cabled controls, B=Battery controls, W=Wireless and R=Energy retrieval system

Third letter of three following model number, ie. ST1085-2FWA, third letter always represents the forks.
F=Fixed forks and A=Adjustable forks

Model Number	Description	List Price
ST1064 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1064-1FSA	Set of 2 - 28,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$19,656
ST-1064-2FSA	Set of 4 - 56,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$38,634
ST-1064-3FSA	Set of 6 - 84,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$58,256
ST1064 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1064-1FBA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$20,031
ST-1064-2FBA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$40,096
ST-1064-3FBA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$60,127
ST1064 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1064-1FWA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$26,937
ST-1064-2FWA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$53,875
ST-1064-3FWA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$80,812
ST1065 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1065-2FSV	Set of 4 - 58,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift construction vehicles, one primary column per set of 4	\$61,553
ST-1065-2FXV	Set of 4 - 58,000lbs capacity, 24 volts DC, extra wide forks to lift construction vehicles	\$86,731
ST1075 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1075-1FSA	Set of 2 - 33,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$21,701
ST-1075-2FSA	Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$42,242
ST-1075-3FSA	Set of 6 - 99,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$63,364

ST1075 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1075-1FBA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$20,980
ST-1075-2FBA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$41,961
ST-1075-3FBA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$62,942

MOBILE LIFTS

Model Number	Description	List Price
ST1075 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1075-1FWA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$29,415
ST-1075-2FWA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$58,521
ST-1075-3FWA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$88,244
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1085-1FSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks.	\$23,380
ST-1085-2FSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks.	\$45,439
ST-1085-3FSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks.	\$67,494
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:		
ST-1085-1RSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks	\$25,745
ST-1085-2RSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks	\$50,176
ST-1085-3RSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks	\$74,595
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1085-1FBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$26,046
ST-1085-2FBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$52,091
ST-1085-3FBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$78,137
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:		
ST-1085-1RBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$28,371
ST-1085-2RBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$56,742
ST-1085-3RBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$85,111
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS		
ST-1085-1FWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$30,313
ST-1085-2FWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$60,625
ST-1085-3FWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$90,938
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS		
ST-1085-1RWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$32,727
ST-1085-2RWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$65,454
ST-1085-3RWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$98,181
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS		
ST-1085-1FRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$33,034
ST-1085-2FRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$66,070
ST-1085-3FRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$99,104
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS		
ST-1085-1RRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$35,543
ST-1085-2RRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$71,086
ST-1085-3RRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$106,629
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1100-1FSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks.	\$24,966
ST-1100-2FSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks.	\$48,570
ST-1100-3FSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks.	\$72,174

MOBILE LIFTS

Model Number	Description	List Price
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:		
ST-1100-1RSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$27,907
ST-1100-2RSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$54,391
ST-1100-3RSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$80,871
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:		
ST-1100-1FBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$28,308
ST-1100-2FBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$56,616
ST-1100-3FBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$84,924
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:		
ST-1100-1RBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$31,770
ST-1100-2RBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$63,540
ST-1100-3RBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$95,311
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS		
ST-1100-1FWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$33,421
ST-1100-2FWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$66,840
ST-1100-3FWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$100,261
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS		
ST-1100-1RWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$36,637
ST-1100-2RWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$73,275
ST-1100-3RWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$109,912
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS		
ST-1100-1FRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$35,016
ST-1100-2FRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$70,033
ST-1100-3FRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$105,049
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS		
ST-1100-1RRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$38,234
ST-1100-2RRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$76,466
ST-1100-3RRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$114,701
ST1130 MODELS, CABLED, WIRELESS AND EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:		
ST-1130-2RWF	Set of 4 - 116,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$192,606
ST-1130-2RRF	Set of 4 - 116,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$202,580
ST1175 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:		
ST-1175-2RWF	Set of 4 - 160,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$183,428

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price
SKTJ-401	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$10,936
SKTJ-401S	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$11,527
SKTJ-402	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, pneumatic operation	\$10,603
SKWD-500	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, pneumatic operation	\$9,943
SKWD-500-74	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height, pneumatic operation	\$11,698
SKWD-501	Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height, pneumatic operation	\$13,421
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$11,923
SKTJ-401S-E Batt.	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$12,494
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, battery operation	\$11,583
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, battery operation	\$11,625
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height, battery operation	\$15,340
G-BDA	HLWD Adapter for standard wheel drums	\$905
G-AD	Transmission Jack Adapter for differential assemblies	\$1,619
G-AD2-02-2000	Transmission Jack Adapter for clutch assemblies	\$663
G-TJ-01-03	Transmission Jack Table/Cradle Screws, balance and retains various transmission housing to table top (price per screw, 4 screws required)	\$311
ST10 Single Phase	220V Single Phase power option, extra per column when requested at time of original order placement	\$588
ST575V	575 voltage power option, extra per column when requested at time of original order placement	\$588
Upgrade control box	Primary control box exchange (upgrade from secondary control box), when requested at time of original order placement	\$1,573
59001040	Remote Powerbox 220V, remote power box fits any secondary column	\$2,839
59001041	Remote Powerbox 460V, remote power box fits any secondary column	\$2,839
OPVL33200	Drive over 12 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$470
DROVER 21.5M	Drive over 21.5 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$593
OPVL33300	NON drive over 21.5 meter red cable for all mobile columns, extra price per column when requested at time of original order placement	\$408
XWF1085	Extra wide fork option for ST1085 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order placement	\$2,348
XWF1100	Extra wide fork option for ST1100 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order placement	\$2,348
Lowered Baseframe	Lowered Baseframe 110 mm - Only for Fixed Wheels, extra price per column when requested at time of original order placement	\$2,348
34200940	Sweep Style Weight Gauge for ST1060, ST1075. Price per column. Price includes part only.	\$801
32709120	Sweep Style Weight Gauge for ST1085. Price per column. Price includes part only.	\$801
380.00.771	Weight Gauge for ST1085 ebright. Price per column. Price includes part only.	\$540
	Weight Gauge installation. Price per column. Price includes labor only.	\$128
32737250	Battery Controls Cable Reel. Price per column. Price includes part and labor to install.	\$746
38000904	Set of 2 (Two) detachable lifting pockets to lift and transport a mobile column with a forklift. Price per column.	\$168
38007790	Retrofit kit consisting of ebright control unit and cable set to mount on an old style wireless column	\$1,760
38008790	Retrofit kit consisting of ebright control unit and cable set to mount on an old style EARTHLIFT wireless column	\$1,760
34400945	Set of 2 fork extensions with lock, L=500 mm / 20", for ST1075 / ST1085, (max.capacity 14,500 lbs per column) ONLY FOR FIXED FORKS. ONLY IN COMBINATION WITH BASE FRAME EXTENSIONS	\$660
32700930	Set of 2 fork extensions with lock, L=500 mm / 20", for ST 1075 / ST1085, (max. capacity 14,500 lbs per column) ONLY FOR ADJUSTABLE FORKS. ONLY IN COMBINATION WITH BASE FRAME EXTENSIONS	\$660

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price
34400910	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max. capacity 14,500 lbs per col.) ONLY FOR FIXED WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS	\$1,534
32710915	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max.capacity 14,500 lbs per col.) ONLY FOR RETRACTABLE WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS.	\$1,534
34200930	Single fork extension with integrated reduction sleeve and lock (right side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$591
34200935	Single fork extension with integrated reduction sleeve and lock (left side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$591
34400945	Set of 2 Fork extensions with locks ST1075 Only For Fixed Forks (L=500 mm/20"), cap. 14,500 lbs	\$659
32700930	Set of 2 Fork extensions with locks ST1085 & ST1100 Only For Adjustable Forks (L=500 mm/20"), cap. 14,500 lbs	\$659

Warning: Fork extension and fork extensions with integrated reduction sleeves may only be used in combination with base frame extensions!

32700920	Reducer plate with lock (right side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$400
32700925	Reducer plate with lock (left side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$400
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$400
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$400
32790205	Reducer plate for ST1065 price each, not ALI certified	\$509
32790210	Large Wheel Adapter ST1065 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$1,937
59002550	Large Wheel Adapter ST1075 & ST1085 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$1,937
32800910	Large Wheel Adapter ST1175 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$6,580
32803100	Reducer plate standard for ST 1175 price each 380mm / 14.95"	\$549
32803200	Reducer plate wider for ST 1175 price each 460mm / 18.11"	\$785
32850460	Reducer plate standard for ST 1130 price each 380mm / 14.95"	\$790
32850470	Reducer plate wider for ST 1130 price each 460mm / 18.11"	\$875

32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs,	\$4,451
32591500	Traverse beam with lifting supports, capacity 32,000 lbs.,	\$4,451
32591050	Low profile cross beam with supports - capacity 33,000 lbs,	\$4,579
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$6,425
32591100	Low profile cross beam - capacity 18,800 lbs,	\$4,579
32593000	4-wheel forklift adapter kit (10 pieces)	\$6,554
32593100	3-wheel forklift adapter kit (12 pieces)	\$8,167
32593030	Lifting piece for forklift kit (2 required per kit), price each, not ALI certified	\$810
18-9081A-03	Traverse Beam for vehicles with snow plow mounted (WEB-36-120ST)	\$5,730

38000920	Multi-Purpose Adapter ST1075/1085/1100, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$6,430
38010920	Multi-Purpose Adapter ST1065, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$7,599
38000950	Multi-Purpose Wide Reach Adapter ST1075/1085/1100, cap. to match column 44,000 lbs, (2 pieces), incl. two U-shape sliding adapters 59001091	\$7,090
38000970	Multi-Purpose Light Truck Adapter ST1075/1085/1100, cap. 5,500 lbs per column, (2 pieces), incl. two sliding rubber pick up pads	\$4,466
38000990	Multi-Purpose Extended Reach Adapter ST1075/1085/1100, (2 pieces), reduced capacity, incl. two U-shape sliding adapters 59001091, requires baseframe extensions (not included)	\$7,090
38000930	Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100)	\$1,290
38000955	Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100)	\$1,670
38010930	Lower Beam Part of MPA extra wide version (fits on ST1065)	\$1,670
38000940	Upper Beam Part of MPA standard version 875mm / 34.44"	\$1,290
38010940	Upper Beam Part of MPA wider version 1250mm / 49.20"	\$1,670
38000975	Upper Beam Part of MPA ultra low version	\$1,670

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price
38000921	Adapter pin Ø40 mm / 1.57" (1 standard supplied with 38000920/38010920)	\$241
38000923	Flat slideable adapter with anti slip top plate (2 standard supplied with 38000920/38010920), (item number based on physical item inspection)	\$408
38000945	Flat slideable adapter with Ø40 mm / 1.57" female pick up point for various pick up adapters (2 standard supplied with 38000950)	\$353
59001091	U-shape pick up adapter 74 mm/ 3" wide and 120mm / 4.7" long, with Ø40 mm / 1.57" male pick up point (2 standard supplied with 38000950)	\$337
32591020	Vertically adjustable riser, sliding adapter with height adjustment 270-420 mm / 10.63 - 16.53"	\$593
38010950	Multi-Purpose Adapter Transport Cart for storage and transportation of maximum 2 Multi-Purpose Adapters and various pick up adapters	\$3,861
<i>Multi-Purpose Adapters can be used in conjunction with contact adapters and vertical risers available for the Freedom Lifts!</i>		
38000908	LED lighting -UL approved - Battery operated column, 2 LED lights, brackets & cable set, uses power from the batteries, per column	\$752
38000909	LED lighting -UL approved - AC operated column, 2 LED lights, brackets & cable set, 230V, per column	\$1,195
32559030	Fluorescent Lighting kit for ST1060, ST1065, ST1073, ST1075, ST 1082, ST1085 and ST1175 - 460V/575V (2 pcs), per column Lighting kit only suitable for cabled columns	\$1,851
32559050	Fluorescent Lighting kit for ST 1060, ST1065, ST 1073, ST1075, ST1082, ST1085 and ST1175 - 208V/230V (2 pcs), per column Lighting kit only suitable for cabled columns	\$1,851
	Labor for installation of any of the lighting kits listed above, price per column	\$375
69700141	LED magnetic Floodlight set (lamp, battery, charging unit and tripod). Does not include charger cable	\$277
69700142	Battery Li-ion 11.1V, 2200mAh for Floodlight	\$83
69700143	Magnetic Tripod for Floodlight	\$55
69700144	Charging Base Unit for Battery Li-ion for Floodlight	\$42
69700146	Charger Cable for Floodlight Charging Base Unit	\$28
34007930	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, Not UL Approved, 32' 10" cable	\$1,910
34007940	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, UL Approved, 32' 10" cable	\$3,471
32557930	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, Not UL Approved, 32' 10" cable	\$1,910
32557940	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, UL Approved, 32' 10" cable	\$3,471
38007788	Remote Control for ebright control mobile column lifts, Not UL Approved, 32' 10" cable	\$1,910
38007789	Remote Control for ebright control mobile column lifts, UL Approved, 32' 10" cable	\$3,471
38007747	Installation kit to create a plug for a remote control on ebright columns on site (without remote)	\$305

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", fixed flat adapter, weight 41 lbs.	\$347
JS-M8	Capacity 18,000 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adjustment, weight 95 lbs	\$1,035
JS-M12	Capacity 26,500 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adjustment, weight 121 lbs	\$1,121
JS-H8	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80" & 53"-83" with fine adjustment, weight 130 lbs	\$1,229
JS-H12	Capacity 26,500 lbs, High, Foldable, 10 positions, Range 50"-80" & 53"-83" with fine adjustment, weight 176 lbs	\$1,606
39225980	Foldable stand storage bracket (one per stand)	\$146
JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard.		
JS-H8-DZ	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80", weight 130 lbs	\$983
JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.		
Options for the JS-H8-DZ:		
39225960	Vertical fine adjuster, adds 3" to minimum and maximum height range	\$141
39225940	U-shaped adapter	\$89
39225950	V-shaped adapter	\$89
SKCP 1220-10	10 tons, no handle or wheels; 12"-20", with pin stop	\$328
SKCP 1830-10	10 tons, no handle or wheels, 18"-30"; with pin stop	\$390
SKCP 2644-10	10 tons, no handle or wheels, 26"-44";with pin stop	\$523
SKCP 5278-09	9 tons, with handle & wheels, spring loaded center tube, pin stop, 1 fixed steel head, 52"-78"	\$1,206
SKCV 1828-10	10 ton, no handle or wheels, 18"-28", fine adjustment	\$949
SKCVP 3658-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 1 fixed wooden head	\$1,592
SKCVP 5480-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 1 fixed wooden head	\$1,627
SKCVP 5484-30	30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head	\$6,075
SKMH 3658-12	12 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 2 interchangeable heads	\$1,592
SKMH 5480-12	12 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 2 interchangeable heads	\$1,627
G-STD-0050	Each additional head for 3658-12 or 5480-12, please specify head required	\$157
39200000	20 ton, 3 spring loaded wheels, spring loaded center tube, 51" - 75"with fine adjustment, 3 interchangeable heads	\$4,028

FREEDOM LIFT

Model Number	Description	List Price
HYDRAULIC TWO POST LIFT, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH		
35072000	SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms	\$28,471
35073000	SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic	\$29,468
35040000	SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms	\$40,224
35041000	SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$43,180
35042000	SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms	\$46,136
35050000	SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms	\$46,102
35051000	SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$52,935
35052000	SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms	\$55,891
35060000	SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms	\$49,649
35061000	SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$56,968
35062000	SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms	\$59,924

Standard adapters being supplied with the SK 2.16 models (all supplied in qty of four pieces or one per arm) :

35000304	Flat low rubber cap slip-in pick-up pad Ø128x26 mm, only for SK 2.16
35000306	Support extension 1.5"
37003909	Support extension 3.5"
37003916	Support extension 6.3"

Standard adapters being supplied with the SK 2.20/26/30 models (all supplied in qty of four pieces or one per arm) :

39225988	Flat rubber cap pick-up pad Ø128x36 mm
35000306	Support extension 1.5"
37003909	Support extension 3.5"
37003916	Support extension 6.3"

ACCESSORIES AND OPTIONS FOR FREEDOM LIFT

Model Number	Description	List Price
Options for ONLY SK 2.16:		
33003915	Set telescopic threaded pick-up points, height min. 145 mm max. 245 mm (2 pcs), only for SK 2.16	\$964
35000304	Replacement flat low rubber cap for contact Ø128x26 mm (1pc.), only for SK 2.16	\$305
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$305
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16	\$305
30003100	Flat rubber capped contact adapter with external threads to provide height adjustment Ø124 mm (1pc.), only for SK 2.16	\$305
35099012	Set chemical anchors and shims, only for SK 2.16	\$371
Options for SK 2.16 / SK 2.20 / SK 2.26 / SK 2.30		
35000950	LED lighting set -UL-approved- Freedom lift series, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$1,671
OPVL08060	Second control box	\$2,437
OPVLRAL01	Extra price for 1 different colour	\$527
OPVLRAL01-2	Extra price for 2 different colors	\$970
OPVL41041	Analogue weight gauge for Freedom Lift	\$765
35000918	Set of 2 adapter trays to store 2*4 adapters. T be mounted to the column structure.	\$220
35000919	Set of 2 adapter trays to store 2*6 adapters. T be mounted to the column structure.	\$255
35000118	Magnetic tool tray, 9.6 x 5.6"	\$61
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$305
39225988	Flat rubber cap pick-up pad Ø128x36 mm (1pc.)	\$360
4310.09.04.00	Flat steel pick-up pad (1 pc)	\$82
4310.09.06.00	U-shaped steel pick-up pad (1 pc)	\$101
4310.09.05.00	V-shaped steel pick-up pad (1 pc)	\$106
35000306	Support extension 1.5"	\$78
37003909	Support extension 3.5"	\$155
37003916	Support extension 6.3"	\$200
37003925	Support extension 10"	\$249
35099014	Set chemical anchors and shims for SK 2.20 / SK 2.26 / SK 2.30 (for SK 2.16 see above)	\$704

LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price
ST 4055	12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns	\$24,394
ST 4055-V	12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$25,237
ST 4055-L	12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$26,362
ST 4055-LV	12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$27,206
ST 4070	16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$26,763
ST 4070-S	16,000 lb. Four post lift, runway length 202" x 25" wide, 118" between columns	\$26,763
ST 4070-SV	16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$27,862
ST 4070-V	16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$27,862
ST 4070-L	16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns	\$29,322
ST 4070-LV	16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns	\$30,419

ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price
43509600	LED lighting set -UL-approved- ST4055 & ST4070-S, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$1,671
44509600	LED lighting set -UL-approved- ST4055-LV & ST4070, 6 LED lights, power transformer, brackets & cable set, 110-220V	\$2,120
43554915	Hinged transition plates, 11.8" (2 pieces)	\$970
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$272
44509040	Standard drive on/off ramps, 28.7", (2 pieces)	\$981
OPVL09250	Second control box for ST 4055 and ST 4070	\$1,716
ST 40 Single Phase	Single phase power per control box	\$657

HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price
ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$35,734
ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$38,318
ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$40,756
ST 4120-10	Four post 30,000lbs capacity, 33 ft runway (NOT ALI approved)	\$43,721
ST 4175-6	Four post 50,000lbs capacity, 20 ft runway	\$69,417
ST 4175-8	Four post 50,000lbs capacity, 26 ft runway	\$73,222
ST 4175-9	Four post 50,000lbs capacity, 30 ft runway	\$73,900
ST 4175-10	Four post 50,000lbs capacity, 33 ft runway	\$77,024
ST 4175-11.5	Four post 50,000lbs capacity, 38 ft runway	\$81,643
ST 4175-6+6	Eight post 100,000lbs capacity, 40 ft runway	\$138,836
ST 4175-6+8	Eight post 100,000lbs capacity, 46 ft runway	\$142,639
ST 4175-6+9	Eight post 100,000lbs capacity, 50 ft runway	\$143,318
ST 4175-8+8	Eight post 100,000lbs capacity, 52 ft runway	\$146,444
ST 4175-6+10	Eight post 100,000lbs capacity, 53 ft runway	\$146,444
ST 4175-8+9	Eight post 100,000lbs capacity, 56 ft runway	\$147,121
ST 4175-6+11.5	Eight post 100,000lbs capacity, 58 ft runway	\$151,060
ST 4175-8+10	Eight post 100,000lbs capacity, 59 ft runway	\$150,245
ST 4175-9+9	Eight post 100,000lbs capacity, 60 ft runway	\$147,800
ST 4175-9+10	Eight post 100,000lbs capacity, 63 ft runway	\$150,925
ST 4175-8+11.5	Eight post 100,000lbs capacity, 64 ft runway	\$154,864
ST 4175-10+10	Eight post 100,000lbs capacity, 66 ft runway	\$154,051
ST 4175-9+11.5	Eight post 100,000lbs capacity, 68 ft runway	\$155,544
ST 4175-10+11.5	Eight post 100,000lbs capacity, 71 ft runway	\$158,669

HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price
ST 4175-11.5+11.5	Eight post 100,000lbs capacity, 76 ft runway	\$163,287
41509040	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 3' 4"	\$12,214
41509030	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 4' 11"	\$14,915
ST 4250-6	Four post 66,000lbs capacity, 20 ft runway	\$105,335
ST 4250-7	Four post 66,000lbs capacity, 23 ft runway	\$108,683
ST 4250-8	Four post 66,000lbs capacity, 26 ft runway	\$112,032
ST 4250-9	Four post 66,000lbs capacity, 30 ft runway	\$115,387
ST 4250-10	Four post 66,000lbs capacity, 33 ft runway	\$119,165
ST 4250-11.5	Four post 66,000lbs capacity, 38 ft runway	\$124,843
ST 4250-6+6	Eight post 132,000lbs capacity, 40 ft runway	\$210,670
ST 4250-6+8	Eight post 132,000lbs capacity, 46 ft runway	\$217,368
ST 4250-6+9	Eight post 132,000lbs capacity, 50 ft runway	\$220,722
ST 4250-8+9	Eight post 132,000lbs capacity, 56 ft runway	\$227,421
ST 4250-9+9	Eight post 132,000lbs capacity, 60 ft runway	\$230,775
ST 4250-10+10	Eight post 132,000lbs capacity, 66 ft runway	\$238,328
ST 4250-10+11.5	Eight post 132,000lbs capacity, 71 ft runway	\$244,007
ST 4250-11.5+11.5	Eight post 132,000lbs capacity, 76 ft runway	\$249,684
42509030	Synchronization set needed to make any Eight Post version of ST 4250 above, bridge part 3' 4"	\$12,214
42519040	Synchronization set needed to make any Eight Post version of ST 4250 above, bridge part 4' 11"	\$14,915
ST 4600-12	Four post 132,000lbs capacity, 39 ft runway	\$260,944
	ST4600: Various lengths and accessories available upon request	On request

All lifts available in 208 to 460VAC, 3-phase, 575V or 1-phase (extra charge only for 4175 and 4250 models)

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Description	List Price
ST4120 Series		
41209020	Hinged transition plates, length 16.1" (2 pcs)	\$1,692
OPVL15165	Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps	-\$1,740
41209030	Standard drive on/off ramps, length 42" (2 pcs); ST4120	\$2,935
41209100	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps)	\$5,793
41209200	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps)	\$6,439
41209010	Set long drive on/off ramps, length 63"	\$5,109
OPVL16165	Extended length access ramps, instead of standard ramps	\$1,266
34007930	Remote Control, Not UL Approved, 32' 10" cable	\$1,910
34007940	Remote Control, UL Approved, 32' 10" cable	\$3,471
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$272
41229350	LED lighting set, UL approved for ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V	\$2,287
41219350	LED lighting set, UL approved for ST4120, 21' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$2,898
41209350	LED lighting set, UL approved for ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$3,547
41239350	LED lighting set, UL approved for ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$4,161
41309150	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$317

Air kit - See accessories for SKYLIFTS

Anti skid, ALU diamond plate - See accessories for SKYLIFTS

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Description	List Price
ST4175 and ST4250 Series		
41509010	Set standard drive on/off ramps ST4175, length 44" (2 pcs)	\$3,129
41509050	Extended length ramps ST4175, length 66" (2 pcs)	\$4,411
OPVL16170	Extended length ramps ST4175, length 66" (2 pcs), instead of standard ramps	\$531
41509060	Extended length ramps ST4175, length 92" (2 pcs)	\$7,607
OPVL16171	Extended length ramps ST4175, length 92" (2 pcs), instead of standard ramps	\$4,335
41509070	Extended length ramps ST4175, length 104.75" (2 pcs)	\$9,190
OPVL16172	Extended length ramps ST4175, length 104.75" (2 pcs), instead of standard ramps	\$4,690
42509020	Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$2,017
OPVL15170	Hinged transition plates ST4175/ST4250, instead of standard ramps	-\$752
42519010	Set standard drive on/off ramps ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$3,246
42519050	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$3,979
OPVL16180	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$458
34007930	Remote Control, Not UL Approved, 32' 10" cable	\$1,910
34007940	Remote Control, UL Approved, 32' 10" cable	\$3,471
42500895	Height limit switch (set) for ST4120 & ST4175 & ST4250	\$780
41509190	Two speed lowering (set) for ST4175 & ST4250 (not in combination with height limit switch)	\$635
41599013	Set chemical anchors and shims for ST 4175	\$550
42599013	Set chemical anchors and shims for ST 4250	\$667
ST 40 Single Phase	Single phase power per control box	\$667
42539170	LED lighting set, UL approved for ST4175/4250, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$2,898
42519170	LED lighting set, UL approved for ST4175/4250, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$3,547
42529170	LED lighting set, UL approved for ST4175/4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$4,164
42549170	LED lighting set, UL approved for ST4175/4250, 38' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$4,813
41309150	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$317
Options for Wash bay version ST4250		
59000832	Covers on top of columns to protect the potentiometer from dirt and moisture	\$1,472
59001138	Connecting cylinders directly to tank / breather cap (to stop dirt and moisture coming into cylinder)	\$1,472
59001137	Watertight Cable glands at bottom of controlbox (glands on top will be sealed)	\$1,626
59001165	Special guidepiece with grease nipples (to stop rust on rolleraxle)	\$6,199
On request	Special coatings on platforms (3 layers: zinc primer, epoxy, polyurethane)	\$8,158

Air kit - See accessories for SKYLIFTS

Anti skid, ALU diamond plate - See accessories for SKYLIFTS

Steril-Guard Anti-skid, applied at the factory - See accessories for SKYLIFTS

HEAVY DUTY SKYLIFT

Model Number	Description	List Price
Surface mounted version:		
<i>Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops.</i>		
41322000	SKY 200 - 62,400 lbs, platform length 23'	\$108,143
41323000	SKY 200 - 62,400 lbs, platform length 26'	\$110,684
41324000	SKY 200 - 62,400 lbs, platform length 30'	\$113,549
41325000	SKY 200 - 62,400 lbs, platform length 33'	\$116,249
41326000	SKY 200 - 62,400 lbs, platform length 40'	\$123,844
41327000	SKY 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$132,731
41302000	SKY 250 - 78,000 lbs, platform length 23'	\$117,435
41303000	SKY 250 - 78,000 lbs, platform length 26'	\$119,282
41304000	SKY 250 - 78,000 lbs, platform length 30'	\$122,893
41305000	SKY 250 - 78,000 lbs, platform length 33'	\$124,699
41306000	SKY 250 - 78,000 lbs, platform length 40'	\$133,134
41307000	SKY 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$142,934
Flush mounted version:		
<i>Flush mounted version is equipped with 2 sets of hinged movable boards.</i>		
41332000	SKY 200 - 62,400 lbs, platform length 23'	\$104,478
41333000	SKY 200 - 62,400 lbs, platform length 26'	\$107,234
41334000	SKY 200 - 62,400 lbs, platform length 30'	\$109,854
41335000	SKY 200 - 62,400 lbs, platform length 33'	\$112,611
41336000	SKY 200 - 62,400 lbs, platform length 40'	\$120,716
41337000	SKY 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$129,752
41312000	SKY 250 - 78,000 lbs, platform length 23'	\$113,309
41313000	SKY 250 - 78,000 lbs, platform length 26'	\$115,643
41314000	SKY 250 - 78,000 lbs, platform length 30'	\$119,226
41315000	SKY 250 - 78,000 lbs, platform length 33'	\$121,018
41316000	SKY 250 - 78,000 lbs, platform length 40'	\$129,426
41317000	SKY 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$139,349
	<i>SKY 200 Buy America, additional price</i>	\$12,531
	<i>SKY 250 Buy America, additional price</i>	\$16,748

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price
41309110	LED lighting set, UL approved for SKYLIFT, 23' & 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$3,480
41309120	LED lighting set, UL approved for SKYLIFT, 30' & 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$4,084
41309130	LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$4,721
41309145	LED lighting set, UL approved for SKYLIFT, 48' platform, 14 LED fixtures, 1 power transformer and cable set, 110-220V	\$5,727
41309135	LED lighting set, UL approved for SKYLIFT platform extension 19.2", 2 LED fixtures, brackets and cable set, 110-220V	\$1,008
41309150	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$311
OPVL39100	Factory installation of light set on any length SKYLIFT	\$1,172
41310905	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension)	\$3,509
41310905-WB	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension) - Washbay	\$4,038
OPVL16190	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension)	\$1,269
OPVL16190-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension) - Washbay	\$1,462
OPVL16191	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension)	\$2,440
OPVL16191-WB	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension) - Washbay	\$2,822
OPVL16200	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT	\$1,269
OPVL16200-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT - Washbay	\$1,462
41300966	Set of 2 ramp spacers with chemical anchors to raise approach ramps to same height as the reversed roll off protections. Only for surface mounted lifts	\$1,262
42509020	Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$1,979
OPVL15190	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps	-\$1,412
OPVL15190-WB	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps - Washbay	-\$2,302
OPVL15191	Set short drive-on/off ramps, instead of the standard stop plates	\$1,291
41300420	Set fixed, extra long, drive on/off ramps (2 pcs), L = 2660 mm / 104 3/4 "(2 pcs)	\$6,675
OPVL16185	Set, extra long, fixed drive-on/off ramps instead of the standard flexible approach ramps	\$452
OPVL47185	Set of 2 stop plates for flush mounted SKYLIFT instead of the standard set short drive-on/off ramps	\$0
34007930	Remote control with 32' 10" cable	\$1,874
34007940	Remote control UL approved with 32' 10" cable	\$3,404
OPVL34180	Intrinsic Barrier For SKY lift to allow surface mounted lift to be installed in flush infloor pit	\$4,248
OPVL37185	Stainless steel control box instead of standard painted	\$6,455
OPVL50185	Set of four stainless steel floor plates instead of standard hot dip galvanized	\$5,665
SKY575V	575 voltage power option when ordered from factory.	\$2,338
SKY WB-23	Wash bay model 23' (Galvanized runways and stainless steel control box)	\$23,897
SKY WB-26	Wash bay model 26' (Galvanized runways and stainless steel control box)	\$24,500
SKY WB-30	Wash bay model 30' (Galvanized runways and stainless steel control box)	\$25,102
SKY WB-33	Wash bay model 33' (Galvanized runways and stainless steel control box)	\$25,704
SKY WB-40	Wash bay model 40' (Galvanized runways and stainless steel control box)	\$27,151
SKY WB-48	Wash bay model 48' (Galvanized runways and stainless steel control box)	\$28,717
OPVL29185	2 speed lowering, not in combination with synchronisation set	\$2,307
41310960	Park positioning system for Jacking Beam (Set)	\$1,203

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price
41300950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$9,577
41300950-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay	\$10,978
41300951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$11,663
41300951-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay	\$13,406
41301952	Synchronization set for connected versions SKYLIFT F.M., without bridge part	\$2,146
41300953	Synchronization set for connected versions SKYLIFT S.M., without bridge part	\$2,146
41310950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$9,577
41310950-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay	\$11,000
41310951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$11,663
41310951-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay	\$13,406
41312950	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$16,441
41313950	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$20,137
41314950	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$23,833
41315950	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$27,529
41316950	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$34,922
41300448	Set multifunctional flexible approach ramps 77"	\$5,416
41300448-WB	Set multifunctional flexible approach ramps 77" - WashBay	\$6,228
41300460	One piece middle section "C" length 19.75"	\$574
41300460-WB	One piece middle section "C" length 19.75" - WashBay	\$662
41300480	One piece middle section "C" length 10"	\$461
41300480-WB	One piece middle section "C" length 10" - WashBay	\$525
41300940	Platform Extension 4' (not for 48' version), (2 pcs)	\$5,852
41300940-WB	Platform Extension 4' (not for 48' version), (2 pcs) - WashBay	\$6,730
41310940	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection	\$8,121
41310940-WB	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection - WashBay	\$9,356
OPVLRAL07	Extra price for 1 different colour	\$1,647
OPVLRAL07-2	Extra price for 2 different colours	\$2,750
41300990	Set chemical anchors and shims for SKYLIFT	\$851
41300992	Set chemical anchors and shims for SKYLIFT, special for Seismic regions incl extra anchors	\$1,280
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose (Depending on length of lift, more than one kit may be needed)	\$309
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet	\$419
OPVL39200	Factory installation of air kit on any length SKYLIFT, platform lengths up to 12 meter	\$761
61001022	Cleaner/assembly set for anti-skid aluminum diamond plate	\$269
66701106	Anti-skid, ALU diamond plate 23 3/5" x 49 1/5", 30' length platform lift requires a total of 14 plates, (Price per plate)	\$340
41302900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 7 mtr. / 23'	\$3,641
41303900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 8 mtr. / 26'	\$4,314
41304900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 9 mtr. / 30'	\$4,993
41305900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 10 mtr. / 33'	\$5,666
41306900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 12 mtr. / 40'	\$6,344
41307900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 14.5 mtr. / 48'. 4 plates for the extensions and a cleaner set are supplied separately.	\$7,690

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price
OPVL44185	Stertil-Guard Anti-skid, applied at the factory for short platforms lengths up to 7 mtr. / 23'	\$2,780
OPVL45185	Stertil-Guard Anti-skid, applied at the factory for medium platforms lengths from 8 mtr. / 26' to 9 mtr. / 30'	\$3,718
OPVL46185	Stertil-Guard Anti-skid, applied at the factory for longer platforms lengths from 10 mtr. / 33' and longer	\$5,726
On request	Wider Platforms 32.68" instead of 29.5"	On demand
Tapeswitch Outer Only	Tapeswitch Outer Only, price per foot both runways	\$233
Tapeswitch Inner/Outer	Tapeswitch Inner and Outer, price per foot for both runways	\$296
OPVL31050	2 mtr. / 6.5' hydraulic hose extension to connect lift to control box	\$1,274
OPVL31051	2 mtr. / 6.5' hydraulic hose extension to connect lift to control box for wash bay	\$1,567
OPVL31060	4 mtr. / 13' hydraulic hose extension to connect lift to control box	\$2,543
OPVL31061	4 mtr. / 13' hydraulic hose extension to connect lift to control box for wash bay	\$2,819
OPVL31070	6 mtr. / 20' hydraulic hose extension to connect lift to control box	\$3,757
OPVL31071	6 mtr. / 20' hydraulic hose extension to connect lift to control box for wash bay	\$4,071

ECOLIFTS		
Model Number	Description	List Price
ECO60-00	60,000 lbs capacity with two fixed lifting units	\$106,721
ECO60-10	60,000 lbs capacity with 10 ft. (120") travel range	\$139,762
ECO60-13	60,000 lbs capacity with 13 ft. (156") travel range	\$144,907
ECO60-17	60,000 lbs capacity with 17 ft. (204") travel range	\$151,364
ECO 90M-10	90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel front pit and 10 ft travel rear pit)	\$219,074
ECO90-10	90,000 lbs capacity, 2 fixed and 1 movable mechanism, (Price based on 10 ft travel for movable mechanism)	On demand
ECO90-00	90,000 lbs capacity, 3 fixed and 0 movable mechanism	On demand
EL13	Increase box length from 10 ft. to 13 ft (156") in travel range, price per box	\$3,312
EL17	Increase box length from 10 ft. to 17 ft (204") in travel range, price per box	\$9,936
Q2200-00	Quick Turn (Shorter end of one moveable cassette to have Fixed and Moveable closer for tandem axles)	\$2,500
RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 Note: Incl. remote control, 35 ft cable, military style quick disconnect	\$4,850
CWB050-00	Automatic Wheel Base Positioning ECO 60 / DIAMOND 64 / DIAMOND 70	\$3,515
CWB090-00	Automatic Wheel Base Positioning ECO 90 / DIAMOND 96 / DIAMOND 105	\$6,327

All ECOLIFTS include comprehensive adapter package. At time of order specify Transit, School Bus, or Truck adapters.

Optional adapters:

A06122-00	Adapter 4" extension, price each (Standard supplied with lift : 2 with ECO 60 & 4 with ECO 90)	\$374
A08122-00	Adapter 6" extension, price each (Standard supplied with lift: 2 with ECO 60 & 2/4 with ECO 90)	\$382
A09222-00	Adapter Tall Vertical 9 x 3.7", price each	\$542
A09222-00R1	Adapter Tall Vertical 9 x 4.23", price each	\$680
A09222-00R2	Adapter Tall Vertical, centered, 9 x 4.23", price each	\$1,151
A10122-00	7" High Adapter Extension, price each	\$434
A10222-00	Adapter Tall Vertical 9 x 4.2", price each	\$434
A11122-00	Adapter 9" extension, price each	\$446
A15252-00	Adapter wide 14 x 11.77", price each	\$806
A16122-00	Adapter Cradle 3.7 x 6", price each (Standard supplied with lift: 2 with ECO 60 & 4 with ECO 90)	\$218
A17122-00	Adapter 10" Wide Cradle 6 x 10", price each	\$575
A17132-00	Adapter flat accessory (use with A17122-00), price each	\$668
A17142-00	Adapter "H" Accessor 6 x 8" (use with A17122-00), price each	\$729
A18122-00	Adapter Swivel Cradle 3.7 x 6", price each	\$237
A19122-00	Adapter 10" wide cradle sideways 6 x 10", price each	\$581
A20122-00	Adapter swivel cradle, 6"x6", price each	\$582
A21122-00	Adapter vertical axle 9 x 3.7", price each (Standard supplied with lift: 2 with ECO 60 & 2/4 with ECO 90)	\$416
A22122-00	Adapter Vertical Convered Low 3.7 x 4", price each	\$458
A23122-00	Adapter vertical wider axle 9 x 7.7", price each	\$629
A24122-00	Adapter vertical wider axle 9 x 6.2", price each	\$555
A25122-00	Adapter low vertical 4 x 3.7", price each (Standard supplied with lift: 2 with ECO 60 & 4/2 with ECO 90)	\$393
A26122-00	Adapter Low Vertical Wide 6.2 x 4", price each	\$475
A27122-00	Adapter Front Orion 3.7 x 5.5", price each	\$393
A28122-00	Adapter vertical low wide 6.2 x 4", price each	\$504
A29122-00	Adapter vertical 1 x 3 x 7.8", price each	\$504
A30122-00	Adapter Flip-Up, 9.44 x 6, price each	\$1,015
A31122-00	Adapter Flat Top Block 3 x 6 x 2.75", price each (Standard supplied with lift : 2 with ECO 60 & 4 with ECO 90)	\$373

ECO LIFTS		
Model Number	Description	List Price
A32122-00	Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each	\$689
A32132-00	Adapter Flat Base, 6 x 10", price each	\$892
A32142-00	Adapter Flat Base, 6 x 10", price each	\$892
A32152-00	Adapter Centering Block, price each	\$909
A33122-00	Adapter vertical wider axle 9 x 7.7" SP pin, price each	\$639
A34122-00	Differential Adapter (only for DIAMOND LIFT)	\$3,115
A35122-00	Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$454
A38122-00	Adapter Vertical 9 x 7.7", price each	\$621
A41122-00	Adapter Vertical Narrow 7.1 x 3.7", price each	\$446
A43122-00	Adapter crown top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$378
A45110-00	Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each	\$504
A50122-00	Adapter NOVA Rear 7.5 x 8.25", price each	\$610
A51122-00	Adapter Rear Transit 7.5 x 8.25", price each	\$634
A52122-00	Adapter New Flyer Rear 5 x 7.75", price each	\$610
A53142-00	Cradle Adapter Weldment	\$238
A56122-00	Adapter Vertical 0.75 x 4 x 9", price each	\$458
A57122-00	Adapter Pocket 7.75" x 10", price each	\$657
ST110-00	Adapter Cart ECO	\$2,005
AS100-00	Adapter Stand	\$1,811
<p>Standard with lift: Extruded aluminum (hinged) for moveable mechanism, two each aluminum drop-in covers for fixed and moveable mechanism one 23.5" steel pit cover plate, one bridge bracket, one wall bracket and two end section covers for moveable box. All ECOLIFTS include comprehensive adapter package. At time of order specify Transit, School Bus, or Truck adapters.</p>		
<p>Optional Cover Plates for continuous pit:</p>		
C01120-00 - C01200-00	12" - 20" cover plate, price each	\$871
C01201-00 - C01290-00	20.25" - 29" cover plate, price each	\$1,138
C01291-00 - C01370-00	29.25" - 37" cover plate, price each	\$1,345
C01371-00 - C01450-00	37.25" - 45" cover plate, price each	\$1,587
CB322	Additional bridge bracket, price each	\$1,172
<p>Replacement drop-in aluminum diamond plate covers:</p>		
2004-14-222	Front cover, price each	\$912
0413-01-222	Rear cover, price each	\$1,022
575 Voltage	Additional charge for 575V 3 phase, 13 amp., Price is per motor	\$2,023
ECO-EHP	External Hand Pump	\$1,156
<p>Shims (Must be ordered with the lift to ship with lift):</p>		
03112-01	FS1 0.063" thickness, price each	\$11.00
03112-02	FS2 0.125" thickness, price each	\$12.00
03112-03	FS4 0.250" thickness, price each	\$13.00
03112-04	FS8 0.500" thickness, price each	\$18.00
Hose	Add'l field installed hyd. hose over standard length provided (see ECO order form), price per ft. per hose	\$14.00
Pendant cable	Add'l cable length over standard length provided, sold in 5' increments(see ECO order form), price per ft.	\$8.00

DIAMOND LIFTS

Model Number	Description	List Price
---------------------	--------------------	-------------------

DIAMOND 64 MODELS, CASSETTE

DIAMOND 64-00	64,000 lbs capacity with two fixed lifting units, incl. cassettes	\$97,748
DIAMOND 64-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$129,401
DIAMOND 64-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$134,165
DIAMOND 64-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$140,144

DIAMOND 64 MODELS, CASSETTE, CONTINUOUS RECESS

DIAMOND 64CR-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$158,203
DIAMOND 64CR-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$162,178
DIAMOND 64CR-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$170,079

DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION

DIAMOND 64F-00	64,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$76,367
DIAMOND 64F-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$94,330
DIAMOND 64F-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$98,386
DIAMOND 64F-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$104,180
	Increased frame length, price per ft.	\$1,431
	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$848

DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS

DIAMOND 64FCR-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$118,974
DIAMOND 64FCR-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$126,181
DIAMOND 64FCR-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$136,648
	Increased frame length, price per ft.	\$2,659
	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$1,218

DIAMOND 96 MODELS, CASSETTE

DIAMOND 96-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$202,834
DIAMOND 96-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, (10 ft travel for movable cylinder), incl. cassettes	On demand
DIAMOND 96-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On demand
DEL13	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$3,136
DEL17	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$9,372
DEL3.25QT	Quick Turn (To have Fixed and Moveable closer for tandem axles)	No charge

DIAMOND 96 MODELS, CASSETTE, CONTINUOUS RECESS

DIAMOND 96CR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$265,843
DIAMOND 96CR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, (10 ft travel for movable cylinder), incl. cassettes	On demand
DIAMOND 96CR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On demand
DEL13	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$4,752
DEL17	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$14,199
DEL3.25QT	Quick Turn (To have Fixed and Moveable closer for tandem axles)	No charge

DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION

DIAMOND 96F-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$139,565
DIAMOND 96F-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On demand
DIAMOND 96F-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On demand
	Increased frame length, price per ft.	\$1,431
	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$848

DIAMOND LIFTS

Model Number	Description	List Price
DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS		
DIAMOND 96FCR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$186,327
DIAMOND 96FCR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On demand
DIAMOND 96FCR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On demand
	Increased frame length, price per ft.	\$2,659
	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$1,218

DIAMOND 70 MODELS, CASSETTE

DIAMOND 70-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$149,096
DIAMOND 70-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$154,584
DIAMOND 70-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$161,473

DIAMOND 70 MODELS, CASSETTE, CONTINUOUS RECESS

DIAMOND 70CR-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$187,258
DIAMOND 70CR-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$192,167
DIAMOND 70CR-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$201,501

DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION

DIAMOND 70F-00	70,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$85,369
DIAMOND 70F-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$108,687
DIAMOND 70F-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$113,360
DIAMOND 70F-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$120,037
	Increased frame length, price per ft.	\$1,431
	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$848

DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS

DIAMOND 70FCR-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$141,198
DIAMOND 70FCR-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$149,327
DIAMOND 70FCR-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$161,138
	Increased frame length, price per ft.	\$2,659
	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$1,218

All DIAMOND LIFTS include comprehensive adapter package. At time of order specify Transit, School Bus, or Transit.

DIAMOND LIFTS

Model Number	Description	List Price
DIAMOND 105 MODELS, CASSETTE		
DIAMOND 105-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$233,705
DIAMOND 105-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On demand
DIAMOND 105-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On demand
DEL13	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$3,432
DEL17	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$9,968
DEL3.25QT	Quick Turn (To have Fixed and Moveable closer for tandem axles)	No charge
DIAMOND 105 MODELS, CASSETTE, CONTINUOUS RECESS		
DIAMOND 105CR-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$296,367
DIAMOND 105CR-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On demand
DIAMOND 105CR-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On demand
DEL13	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$4,865
DEL17	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$14,417
DEL3.25QT	Quick Turn (To have Fixed and Moveable closer for tandem axles)	No charge
RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 Note: Including remote control, 35 ft cable, military style quick disconnect	\$4,647
BEACON-00	Red/Green stack light for HOME position for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$2,369
TWO SPEED-00	Two-speed lowering for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$2,431
F40-00	Festoon for remote control, 40 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$5,820
F60-00	Festoon for remote control, 60 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$8,145
T12312-00	Remote Control Bracket for use with festoon, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$798
CWB050-00	Automatic Wheel Base Positioning ECO 60 / DIAMOND 64 / DIAMOND 70	\$3,368
CWB090-00	Automatic Wheel Base Positioning ECO 90 / DIAMOND 96 / DIAMOND 105	\$6,063
D662P-00	Assembly Sump Pump DIA64 / DIA70 / DIA96 / DIA105. One Sump Pump per cassette. Price is for each Sump Pump.	\$2,766
ST130-00	Adapter Cart Diamond	\$1,921
AS100-00	Adapter Stand	\$1,736

All DIAMOND LIFTS include comprehensive adapter package. At time of order specify Transit, School Bus, or Truck adapters.

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price
The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder.		
The JB is standard equipped with two flat adapters and two 4" extensions.		
39617160	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$10,728
39617110	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$10,728
39617010	Set support arms for ST 4120	\$1,266
39615250	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$10,728
39615140	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$10,728
39615010	Set support arms for ST 4175 old style (for lifts manufactured before July 2015)	\$1,266
39615040	Set support arms for ST 4175 new style (for lifts manufactured from July 2015)	\$1,266
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$1,266
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$1,266
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$1,266
39616160	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$11,830
39616110	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$11,830
39616010	Set support arms for ST 4250 20'/26'/30' platforms	\$1,266
39616020	Set support arms for ST 4250 33'/38' platforms	\$1,266
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$1,266
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$1,266
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$1,266
39618160	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$11,830
39618110	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$11,830
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$1,266
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$1,266
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$1,266
Options for JB-70-2 / JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:		
39615180	Diff. beam for JB-70-2 - JB-200-2, for lifting both rams at one point	\$936
39615130	T4-2 Crossbeam adapter, capacity 44,000 lbs, adjustable 7.75" - 29.5", total length 36", height 5.7"	\$2,173
39615135	T6-2 Crossbeam adapter, capacity 28,600 lbs, adjustable 28.5" - 48.5", total length 48", height 3.5"	\$4,834
58.693.52	Leaf Spring For Universal Jacking Beam	\$238
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$226
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$226
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$238
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$238
39991000	Trolley for JB-70-2 - JB-200-2	\$724
39615125	Wall bracket for storage of up to 4 adapters	\$214
39615120	Wall bracket for storage of up to 8 adapters	\$238
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams	\$878

Air kit - See accessories for SKYLIFTS

AIR-HYDRAULIC PIT JACKS

Model Number	Description	List Price
39630250	PJ-100-1S, frame 23.23" - 35", single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$10,135
39630100	PJ-100-1W, frame 33.5" - 45.28", single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$10,135
39630300	PJ-150-1S, frame 23.23" - 35", single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$11,513
39630150	PJ-150-1W, frame 33.5" - 45.28", single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$11,513
39630350	PJ-200-1S, frame 23.23" - 35", single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$12,647
39630200	PJ-200-1W, frame 33.5" - 45.28", single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$12,647
39630450	PJ-100-2S, frame 23.23" - 35", tandem single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$10,711
39630400	PJ-100-2W, frame 33.5" - 45.28", tandem single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$10,711
39630550	PJ-150-2S, frame 23.23" - 35", tandem single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$12,090
39630500	PJ-150-2W, frame 33.5" - 45.28", tandem single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$12,090
39630650	PJ-200-2S, frame 23.23" - 35", tandem single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$13,223
39630600	PJ-200-2W, frame 33.5" - 45.28", tandem single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$13,223
The support arms have to be ordered separately from the pit jack.		
39630010	Set support arms for pit jacks (always fill out pit specification form and send with order)	\$1,266
39660100	FPJ-150 F, Floor moving air hydraulic pit jack, single ram, with telescopic fixed cylinder, capacity 33,000 lbs, height 36' 2/8" - 86' 7/8", platform 33' 2/8" x 39' 4/8"	\$14,594
39660200	FPJ-150 U, Floor moving air hydraulic pit jack, single ram, with telescopic and sideways movable cylinder, capacity 33,000 lbs, height 36' 2/8" - 86' 7/8", platform 33' 2/8" x 42' 2/8"	\$15,261
Options for air-hydraulic pit jacks:		
39660210	Gearbox saddle, capacity 1 ton (only for single piston units)	\$1,979
39630120	AB, Support bridge, capacity 44,000 lbs, usable in combination with various adapters	\$4,168
39630121	ABT, Variable Support bridge, capacity 33,000 lbs, usable in combination with various adapters	\$5,232
39630125	T4-1 Crossbeam adapter, capacity 33,000 lbs, height 4.0", adjustable 7.8" - 29.5", only for single piston versions	\$2,050
39615130	T4-2 Crossbeam adapter, capacity 33,000 lbs, height 5.7", adjustable 7.8" - 29.5", only for tandem piston versions	\$2,050
39630135	T6-1 Crossbeam adapter, capacity 28,600 lbs, adjustable 28.54" - 48.23" with wheel, height 3.54", only for single pistons versions	\$4,839
39615135	T6-2 Crossbeam adapter, capacity 28,600 lbs, adjustable 28.54" - 48.23" with wheel, height 3.54", only for tandem piston versions	\$4,839
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs, only for single piston units	\$2,980
39630145	Integrated safety stand, capacity 44,000 lbs, only for single stroke versions	\$1,377
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$226
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$226
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$238
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$238
39615125	Wall bracket for storage of up to 4 adapters	\$214
39615120	Wall bracket for storage of up to 8 adapters	\$238

HYDRAULIC TRANSMISSION JACK

Model Number	Description	List Price
TJ-3	Capacity 660 lbs, height 44.29" - 76.77"	\$1,163
TJ-6	Capacity 1,320 lbs, height 44.29" - 76.77"	\$1,336
TJ-10	Capacity 2,200 lbs, height 46.45" - 78.74"	\$1,695
TJ-12	Capacity 2,645 lbs, height 35.63" - 75.59"	\$4,605

Options for hydraulic transmission jacks:

9058800	Adjustable saddle 14.17" x 14.57", capacity 600 lbs	\$1,418
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs (only for TJ-10 & TJ-12)	\$3,494
9059500	Saddle for mounting springs, fuel tanks etc.	\$83
3601400	Rubber pad for saddle	\$83

WHEEL DOLLIES

Model Number	Description	List Price
WDA-500	Hydraulic, capacity 1,100 lbs, for wheel diameter 10.63" - 51.18", height 4.17" - 28.23"	\$4,245
WDA-1500	Mechanical, capacity 3,300 lbs, for wheel diameter 45.27" - 56.69", height 6.3" - 29.53"	\$7,765
39650210	Flexible heavy duty crane arm, capacity 550 lbs, for WDA-500	\$512

JACK STANDS

Model Number	Description	List Price
5000N	Capacity 11,000 lbs, 5 positions, height 14.35" - 23.62"	\$278
7500N	Capacity 16,500 lbs, 6 positions, height 22.8" - 37.4"	\$559
7500NL	Capacity 16,500 lbs, 5 positions, height 14.2" - 23.62"	\$461