



MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

First letter of three following model number, i.e. ST1085-2FWA, first letter always represents the wheels.
 F=Fixed wheels and R=Retractable wheels

Second letter of three following model number, i.e. ST1085-2FWA, second letter always represents the controls.
 S=Cabled controls, B=Battery controls, W=Wireless and R=Energy retrieval system

Third letter of three following model number, i.e. ST1085-2FWA, third letter always represents the forks.
 F=Fixed forks and A=Adjustable forks

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
ST1064 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FSA	Set of 2 - 28,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 20,147	\$ 14,304.65	\$ 13,700.23	\$ 13,398.02
ST-1064-2FSA	Set of 4 - 56,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 39,600	\$ 28,115.89	\$ 26,927.90	\$ 26,333.90
ST-1064-3FSA	Set of 6 - 84,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 59,712	\$ 42,395.80	\$ 40,604.43	\$ 39,708.75
ST1064 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FBA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 20,532	\$ 14,577.56	\$ 13,961.61	\$ 13,653.63
ST-1064-2FBA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 41,098	\$ 29,179.86	\$ 27,946.91	\$ 27,330.44
ST-1064-3FBA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 61,630	\$ 43,757.42	\$ 41,908.52	\$ 40,984.07
ST1064 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FWA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 27,610	\$ 19,603.40	\$ 18,775.09	\$ 18,360.93
ST-1064-2FWA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 55,222	\$ 39,207.53	\$ 37,550.88	\$ 36,722.55
ST-1064-3FWA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 82,832	\$ 58,810.93	\$ 56,325.96	\$ 55,083.48
ST1065 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1065-2FSV	Set of 4 - 58,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift construction vehicles, one primary column per set of 4	\$ 63,092	\$ 44,795.20	\$ 42,902.44	\$ 41,956.06
ST-1065-2FXV	Set of 4 - 58,000lbs capacity, 24 volts DC, extra wide forks to lift construction vehicles	\$ 88,899	\$ 63,118.49	\$ 60,451.51	\$ 59,118.02
ST1075 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FSA	Set of 2 - 33,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 22,244	\$ 15,792.90	\$ 15,125.60	\$ 14,791.94
ST-1075-2FSA	Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 43,298	\$ 30,741.62	\$ 29,442.67	\$ 28,793.20
ST-1075-3FSA	Set of 6 - 99,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 64,948	\$ 46,113.15	\$ 44,164.71	\$ 43,190.49
ST1075 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FBA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 21,505	\$ 15,268.20	\$ 14,623.06	\$ 14,300.49
ST-1075-2FBA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 43,010	\$ 30,537.12	\$ 29,246.82	\$ 28,601.67
ST-1075-3FBA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 64,516	\$ 45,806.04	\$ 43,870.57	\$ 42,902.84
ST1075 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FWA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 30,150	\$ 21,406.77	\$ 20,502.26	\$ 20,050.00
ST-1075-2FWA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 59,984	\$ 42,588.66	\$ 40,789.14	\$ 39,889.38
ST-1075-3FWA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 90,450	\$ 64,219.57	\$ 61,506.07	\$ 60,149.32

MOBILE LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1085-1FSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks.	\$ 23,965	\$ 17,014.80	\$ 16,295.86	\$ 15,936.39
ST-1085-2FSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks.	\$ 46,575	\$ 33,068.23	\$ 31,670.98	\$ 30,972.36
ST-1085-3FSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks.	\$ 69,181	\$ 49,118.76	\$ 47,043.32	\$ 46,005.60
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1085-1RSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks	\$ 26,389	\$ 18,735.92	\$ 17,944.27	\$ 17,548.44
ST-1085-2RSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks	\$ 51,430	\$ 36,515.58	\$ 34,972.67	\$ 34,201.22
ST-1085-3RSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks	\$ 76,460	\$ 54,286.51	\$ 51,992.72	\$ 50,845.82
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1085-1FBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 26,697	\$ 18,954.98	\$ 18,154.06	\$ 17,753.60
ST-1085-2FBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 53,393	\$ 37,909.23	\$ 36,307.43	\$ 35,506.53
ST-1085-3FBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 80,090	\$ 56,864.20	\$ 54,461.49	\$ 53,260.13
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:					
ST-1085-1RBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 29,080	\$ 20,647.00	\$ 19,774.59	\$ 19,338.38
ST-1085-2RBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 58,161	\$ 41,293.99	\$ 39,549.17	\$ 38,676.77
ST-1085-3RBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 87,239	\$ 61,939.53	\$ 59,322.37	\$ 58,013.79
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1085-1FWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 31,071	\$ 22,060.29	\$ 21,128.16	\$ 20,662.10
ST-1085-2FWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 62,141	\$ 44,119.84	\$ 42,255.63	\$ 41,323.52
ST-1085-3FWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 93,211	\$ 66,180.13	\$ 63,383.79	\$ 61,985.61
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1085-1RWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 33,545	\$ 23,817.07	\$ 22,810.72	\$ 22,307.54
ST-1085-2RWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 67,090	\$ 47,634.15	\$ 45,621.44	\$ 44,615.08
ST-1085-3RWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 100,636	\$ 71,451.22	\$ 68,432.16	\$ 66,922.62
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1085-1FRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 33,860	\$ 24,040.49	\$ 23,024.70	\$ 22,516.80
ST-1085-2FRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 67,722	\$ 48,082.44	\$ 46,050.79	\$ 45,034.96
ST-1085-3FRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 101,582	\$ 72,122.94	\$ 69,075.49	\$ 67,551.76
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1085-1RRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 36,432	\$ 25,866.42	\$ 24,773.47	\$ 24,227.00
ST-1085-2RRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 72,863	\$ 51,732.84	\$ 49,546.94	\$ 48,453.99
ST-1085-3RRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 109,295	\$ 77,599.25	\$ 74,320.41	\$ 72,680.99
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1100-1FSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks.	\$ 25,590	\$ 18,169.01	\$ 17,401.30	\$ 17,017.45
ST-1100-2FSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks.	\$ 49,784	\$ 35,346.82	\$ 33,853.29	\$ 33,106.53
ST-1100-3FSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks.	\$ 73,978	\$ 52,524.63	\$ 50,305.28	\$ 49,195.60
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1100-1RSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 28,605	\$ 20,309.32	\$ 19,451.18	\$ 19,022.11
ST-1100-2RSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 55,751	\$ 39,583.05	\$ 37,910.53	\$ 37,074.27
ST-1100-3RSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 82,893	\$ 58,853.87	\$ 56,367.09	\$ 55,123.70
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1100-1FBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 29,016	\$ 20,601.15	\$ 19,730.68	\$ 19,295.44
ST-1100-2FBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 58,031	\$ 41,202.29	\$ 39,461.35	\$ 38,590.88
ST-1100-3FBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 87,047	\$ 61,803.44	\$ 59,192.03	\$ 57,886.32

MOBILE LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:					
ST-1100-1RBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 32,564	\$ 23,120.62	\$ 22,143.69	\$ 21,655.23
ST-1100-2RBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 65,129	\$ 46,241.24	\$ 44,287.38	\$ 43,310.45
ST-1100-3RBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 97,694	\$ 69,362.58	\$ 66,431.77	\$ 64,966.36

ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 34,257	\$ 24,322.13	\$ 23,294.44	\$ 22,780.59
ST-1100-2FWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 68,511	\$ 48,642.81	\$ 46,587.48	\$ 45,559.82
ST-1100-3FWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 102,768	\$ 72,964.94	\$ 69,881.92	\$ 68,340.40

ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 37,553	\$ 26,662.58	\$ 25,535.99	\$ 24,972.70
ST-1100-2RWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 75,107	\$ 53,325.88	\$ 51,072.68	\$ 49,946.07
ST-1100-3RWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 112,660	\$ 79,988.46	\$ 76,608.66	\$ 74,918.77

ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 35,891	\$ 25,482.89	\$ 24,406.15	\$ 23,867.78
ST-1100-2FRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 71,784	\$ 50,966.52	\$ 48,813.00	\$ 47,736.24
ST-1100-3FRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 107,675	\$ 76,449.41	\$ 73,219.15	\$ 71,604.02

ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 39,190	\$ 27,824.79	\$ 26,649.10	\$ 26,061.25
ST-1100-2RRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 78,378	\$ 55,648.13	\$ 53,296.80	\$ 52,121.14
ST-1100-3RRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 117,569	\$ 83,473.65	\$ 79,946.60	\$ 78,183.07

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
SKTJ-401	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 11,155	\$ 7,919.85	\$ 7,585.21	\$ 7,417.89
SKTJ-401S	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 11,758	\$ 8,347.85	\$ 7,995.13	\$ 7,818.76
SKTJ-402	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, pneumatic operation	\$ 10,815	\$ 7,678.69	\$ 7,354.24	\$ 7,192.01
SKWD-500	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, pneumatic operation	\$ 10,142	\$ 7,200.72	\$ 6,896.46	\$ 6,744.34
SKWD-500-74	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height, pneumatic operation	\$ 11,932	\$ 8,471.69	\$ 8,113.73	\$ 7,934.75
SKWD-501	Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height, pneumatic operation	\$ 13,689	\$ 9,719.49	\$ 9,308.81	\$ 9,103.46
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 12,161	\$ 8,634.64	\$ 8,269.79	\$ 8,087.37
SKTJ-401S-E Batt.	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 12,744	\$ 9,048.15	\$ 8,665.84	\$ 8,474.68
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, battery operation	\$ 11,815	\$ 8,388.41	\$ 8,033.97	\$ 7,856.75
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, battery operation	\$ 11,858	\$ 8,418.83	\$ 8,063.10	\$ 7,885.24
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height, battery operation	\$ 15,647	\$ 11,109.23	\$ 10,639.82	\$ 10,405.12
G-BDA	HLWD Adapter for standard wheel drums	\$ 923	\$ 655.40	\$ 627.71	\$ 613.86
G-AD	Transmission Jack Adapter for differential assemblies	\$ 1,651	\$ 1,172.48	\$ 1,122.94	\$ 1,098.17
G-AD2-02-2000	Transmission Jack Adapter for clutch assemblies	\$ 676	\$ 480.14	\$ 459.86	\$ 449.71
G-TJ-01-03	Transmission Jack Table/Cradle Screws, balance and retains various transmission housing to table top (price per screw, 4 screws required)	\$ 317	\$ 225.23	\$ 215.71	\$ 210.95
ST10 Single Phase	220V Single Phase power option, extra per column when requested at time of original order placement	\$ 600	\$ 425.83	\$ 407.84	\$ 398.84
ST575V	575 voltage power option, extra per column when requested at time of original order placement	\$ 600	\$ 425.83	\$ 407.84	\$ 398.84
Upgrade control box	Primary control box exchange (upgrade from secondary control box), when requested at time of original order placement	\$ 1,604	\$ 1,139.17	\$ 1,091.03	\$ 1,066.97
OPVL33200	Drive over 12 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 479	\$ 340.37	\$ 325.99	\$ 318.80
DROVER 21.5M	Drive over 21.5 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 605	\$ 429.45	\$ 411.30	\$ 402.23
OPVL33300	NON drive over 21.5 meter red cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 416	\$ 295.47	\$ 282.99	\$ 276.75
XWF1085	Extra wide fork option for ST1085 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order	\$ 2,395	\$ 1,700.42	\$ 1,628.57	\$ 1,592.65
XWF1100	Extra wide fork option for ST1100 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order	\$ 2,395	\$ 1,700.42	\$ 1,628.57	\$ 1,592.65

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
Lowered Baseframe	Lowered Baseframe 110 mm - Only for Fixed Wheels, extra price per column when requested at time of original order placement	\$ 2,395	\$ 1,700.42	\$ 1,628.57	\$ 1,592.65
380.00.771	Weight Gauge for ST1085 ebright. Price per column. Price includes part only.	\$ 551	\$ 391.07	\$ 374.54	\$ 366.28
WGI Labor	Weight Gauge installation. Price per column. Price includes labor only.	\$ 131	\$ 92.70	\$ 88.78	\$ 86.82
32737250	Battery Controls Cable Reel. Price per column. Price includes part and labor to install.	\$ 761	\$ 540.25	\$ 517.43	\$ 506.01
38000904	Set of 2 (Two) detachable lifting pockets to lift and transport a mobile column with a forklift. Price per column.	\$ 171	\$ 121.67	\$ 116.52	\$ 113.95
38007790	Retrofit kit consisting of ebright control unit and cable set to mount on an old style wireless column	\$ 1,795	\$ 1,274.59	\$ 1,220.74	\$ 1,193.81
38008790	Retrofit kit consisting of ebright control unit and cable set to mount on an old style EARTHLIFT wireless column	\$ 1,795	\$ 1,274.59	\$ 1,220.74	\$ 1,193.81
34400910	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max. capacity 14,500 lbs per col.) ONLY FOR FIXED WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS	\$ 1,565	\$ 1,110.92	\$ 1,063.98	\$ 1,040.51
32710915	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max.capacity 14,500 lbs per col.) ONLY FOR RETRACTABLE WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS.	\$ 1,565	\$ 1,110.92	\$ 1,063.98	\$ 1,040.51
34200930	Single fork extension with integrated reduction sleeve and lock (right side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$ 603	\$ 428.00	\$ 409.92	\$ 400.88
34200935	Single fork extension with integrated reduction sleeve and lock (left side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$ 603	\$ 428.00	\$ 409.92	\$ 400.88
32700930	Set of 2 Fork extensions with locks ST1085 & ST1100 Only For Adjustable Forks (L=500 mm/20"), cap. 14,500 lbs	\$ 672	\$ 477.25	\$ 457.08	\$ 447.00
Warning: Fork extension and fork extensions with integrated reduction sleeves may only be used in combination with base frame extensions!					
32700920	Reducer plate with lock (right side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 408	\$ 289.68	\$ 277.44	\$ 271.32
32700925	Reducer plate with lock (left side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 408	\$ 289.68	\$ 277.44	\$ 271.32
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 408	\$ 289.68	\$ 277.44	\$ 271.32
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 408	\$ 289.68	\$ 277.44	\$ 271.32
32790205	Reducer plate for ST1065 price each, not ALI certified	\$ 519	\$ 368.62	\$ 353.04	\$ 345.25
32790210	Large Wheel Adapter ST1065 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 1,976	\$ 1,402.78	\$ 1,343.50	\$ 1,313.87
59002550	Large Wheel Adapter ST1075 & ST1085 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 1,976	\$ 1,402.78	\$ 1,343.50	\$ 1,313.87
32800910	Large Wheel Adapter ST1175 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 6,712	\$ 4,765.24	\$ 4,563.89	\$ 4,463.21
32803100	Reducer plate standard for ST 1175 price each 380mm / 14.95"	\$ 560	\$ 397.59	\$ 380.79	\$ 372.39
32803200	Reducer plate wider for ST 1175 price each 460mm / 18.11"	\$ 801	\$ 568.50	\$ 544.48	\$ 532.47
32850460	Reducer plate standard for ST 1130 price each 380mm / 14.95"	\$ 806	\$ 572.12	\$ 547.94	\$ 535.86
32850470	Reducer plate wider for ST 1130 price each 460mm / 18.11"	\$ 893	\$ 633.68	\$ 606.90	\$ 593.51
32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs,	\$ 4,540	\$ 3,223.41	\$ 3,087.21	\$ 3,019.11
32591500	Traverse beam with lifting supports, capacity 32,000 lbs.,	\$ 4,540	\$ 3,223.41	\$ 3,087.21	\$ 3,019.11
32591050	Low profile cross beam with supports - capacity 33,000 lbs,	\$ 4,671	\$ 3,316.11	\$ 3,175.99	\$ 3,105.94
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$ 6,554	\$ 4,652.99	\$ 4,456.38	\$ 4,358.08
32591100	Low profile cross beam - capacity 18,800 lbs,	\$ 4,671	\$ 3,316.11	\$ 3,175.99	\$ 3,105.94
32593000	4-wheel forklift adapter kit (10 pieces)	\$ 6,685	\$ 4,746.41	\$ 4,545.85	\$ 4,445.58
32593100	3-wheel forklift adapter kit (12 pieces)	\$ 8,330	\$ 5,914.54	\$ 5,664.63	\$ 5,539.68
32593030	Lifting piece for forklift kit (2 required per kit), price each, not ALI certified	\$ 826	\$ 586.60	\$ 561.82	\$ 549.42
18-9081A-03	Traverse Beam for vehicles with snow plow mounted (WEB-36-120ST)	\$ 5,845	\$ 4,149.67	\$ 3,974.33	\$ 3,886.66
38000920	Multi-Purpose Adapter ST1075/1085/1100, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$ 6,559	\$ 4,656.61	\$ 4,459.85	\$ 4,361.47
38010920	Multi-Purpose Adapter ST1065, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$ 7,751	\$ 5,503.20	\$ 5,270.67	\$ 5,154.40
38000950	Multi-Purpose Wide Reach Adapter ST1075/1085/1100, cap. to match column 44,000 lbs, (2 pieces), incl. two U-shape sliding adapters 59001091	\$ 7,232	\$ 5,134.58	\$ 4,917.62	\$ 4,809.15
38000970	Multi-Purpose Light Truck Adapter ST1075/1085/1100, cap. 5,500 lbs per column, (2 pieces), incl. two sliding rubber pick up pads	\$ 4,555	\$ 3,234.28	\$ 3,097.62	\$ 3,029.29
38000990	Multi-Purpose Extended Reach Adapter ST1075/1085/1100, (2 pieces), reduced capacity, incl. two U-shape sliding adapters 59001091, requires baseframe extensions (not included)	\$ 7,232	\$ 5,134.58	\$ 4,917.62	\$ 4,809.15
38000930	Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. <u>to match column</u>	\$ 1,316	\$ 934.22	\$ 894.74	\$ 875.01
38000955	Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. to match column,	\$ 1,703	\$ 1,209.41	\$ 1,158.31	\$ 1,132.76

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
38010930	Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column,	\$ 1,703	\$ 1,209.41	\$ 1,158.31	\$ 1,132.76
38000940	Upper Beam Part of MPA standard version 875mm / 34.44", cap. to match column,	\$ 1,316	\$ 934.22	\$ 894.74	\$ 875.01
38010940	Upper Beam Part of MPA wider version 1250mm / 49.20", cap. to match column,	\$ 1,703	\$ 1,209.41	\$ 1,158.31	\$ 1,132.76
38000975	Upper Beam Part of MPA ultra low version, cap of 5500 lbs.	\$ 1,703	\$ 1,209.41	\$ 1,158.31	\$ 1,132.76
38000921	Adapter pin Ø40 mm / 1.57" (1 standard supplied with 38000920/38010920), per piece	\$ 246	\$ 174.53	\$ 167.16	\$ 163.47
32591051	Flat slideable adapter with anti slip top plate (2 standard supplied with 38000920/38010920), (item number based on physical item inspection, per piece	\$ 416	\$ 295.47	\$ 282.99	\$ 276.75
38000945	Flat slideable adapter with Ø40 mm / 1.57" female pick up point for various pick up adapters (2 standard supplied with 38000950), per piece	\$ 360	\$ 255.64	\$ 244.84	\$ 239.44
59001091	U-shape pick up adapter 74 mm/ 3" wide and 120mm / 4.7" long, with Ø40 mm / 1.57" male pick up point (2 standard supplied with 38000950), per piece	\$ 344	\$ 244.06	\$ 233.74	\$ 228.59
32591020	Vertically adjustable riser, sliding adapter with height adjustment 270-420 mm / 10.63 - 16.53", per piece	\$ 605	\$ 429.45	\$ 411.30	\$ 402.23
38010950	Multi-Purpose Adapter Transport Cart for storage and transportation of maximum 2 Multi-Purpose Adapters and various pick up adapters	\$ 3,938	\$ 2,796.14	\$ 2,677.99	\$ 2,618.92

Multi-Purpose Adapters can be used in conjunction with contact adapters and vertical risers available for the Freedom Lifts!

38008900	LED lighting -UL approved - Battery operated column, 2 LED lights, brackets & cable set, uses power from the batteries, per column	\$ 767	\$ 544.60	\$ 521.59	\$ 510.08
38004900	LED lighting -UL approved - AC operated column, 2 LED lights, brackets & cable set, 230V, per column	\$ 1,219	\$ 865.42	\$ 828.85	\$ 810.57
MLK Labor	Labor for installation of any of the lighting kits listed above, price per column	\$ 383	\$ 271.58	\$ 260.10	\$ 254.36

69700141	LED magnetic Floodlight set (lamp, battery, charging unit and tripod).	\$ 283	\$ 200.60	\$ 192.13	\$ 187.89
69700142	Battery Li-ion 11.1V, 2200mAh for Floodlight	\$ 85	\$ 60.11	\$ 57.57	\$ 56.30
69700143	Magnetic Tripod for Floodlight	\$ 56	\$ 39.83	\$ 38.15	\$ 37.31
69700144	Charging Base Unit for Battery Li-ion for Floodlight	\$ 43	\$ 30.42	\$ 29.13	\$ 28.49
69700146	Charger Cable for Floodlight Charging Base Unit	\$ 29	\$ 20.28	\$ 19.42	\$ 18.99

34007930 FCF	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, Not UL Approved, 32' 10" cable	\$ 1,948	\$ 1,383.22	\$ 1,324.78	\$ 1,295.55
34007940 FCF	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, UL Approved, 32' 10" cable	\$ 3,540	\$ 2,513.70	\$ 2,407.49	\$ 2,354.38
32557930	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, Not UL Approved, 32' 10" cable	\$ 1,948	\$ 1,383.22	\$ 1,324.78	\$ 1,295.55
32557940	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, UL Approved, 32' 10" cable	\$ 3,540	\$ 2,513.70	\$ 2,407.49	\$ 2,354.38
38007788	Remote Control for ebright control mobile column lifts, Not UL Approved, 32' 10" cable	\$ 1,948	\$ 1,383.22	\$ 1,324.78	\$ 1,295.55
38007789	Remote Control for ebright control mobile column lifts, UL Approved, 32' 10" cable	\$ 3,540	\$ 2,513.70	\$ 2,407.49	\$ 2,354.38
38007747	Installation kit to create a plug for a remote control on ebright columns on site (without remote)	\$ 311	\$ 220.88	\$ 211.55	\$ 206.88

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", fixed flat adapter, weight 41 lbs.	\$ 354	\$ 251.30	\$ 240.68	\$ 235.37
JS-M8	Capacity 18,500 lbs, Medium, Foldable, 7 locking positions, Range 33"-54" with fine adjustment, weight 95 lbs	\$ 1,056	\$ 749.55	\$ 717.88	\$ 702.04
JS-M12	Capacity 26,500 lbs, Medium, Foldable, 7 locking positions, Range 33"-54" with fine adjustment, weight 121 lbs	\$ 1,143	\$ 811.83	\$ 777.53	\$ 760.37
JS-H8	Capacity 18,500 lbs, High, Foldable, 10 locking positions, Range 53"-83" with fine adjustment, weight 130 lbs	\$ 1,254	\$ 890.04	\$ 852.43	\$ 833.63
JS-H12	Capacity 26,500 lbs, High, Foldable, 10 positions, Range 53"-83" with fine adjustment, weight 176 lbs	\$ 1,638	\$ 1,163.07	\$ 1,113.92	\$ 1,089.35
39225980	Foldable stand storage bracket (one per stand)	\$ 149	\$ 105.73	\$ 101.27	\$ 99.03

JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard.

JS-H8-DZ	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80", weight 130 lbs	\$ 1,003	\$ 711.89	\$ 681.81	\$ 666.77
----------	--	----------	-----------	-----------	-----------

JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.

Options for the JS-H8-DZ:

39225960	Vertical fine adjuster, adds 3" to minimum and maximum height range	\$ 144	\$ 102.11	\$ 97.80	\$ 95.64
39225940	U-shaped adapter	\$ 91	\$ 64.45	\$ 61.73	\$ 60.37
39225950	V-shaped adapter	\$ 91	\$ 64.45	\$ 61.73	\$ 60.37

SKCP 1220-10	10 tons, no handle or wheels; 12"-20", with pin stop	\$ 335	\$ 237.54	\$ 227.50	\$ 222.48
SKCP 1830-10	10 tons, no handle or wheels, 18"-30"; with pin stop	\$ 398	\$ 282.44	\$ 270.50	\$ 264.54
SKCP 2644-10	10 tons, no handle or wheels, 26"-44";with pin stop	\$ 533	\$ 378.76	\$ 362.75	\$ 354.75
SKCP 5278-09	9 tons, with handle & wheels, spring loaded center tube, pin stop, 1 fixed steel head, 52"-78"	\$ 1,230	\$ 873.39	\$ 836.48	\$ 818.03

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
SKCV 1828-10	10 ton, no handle or wheels, 18"-28", fine adjustment	\$ 968	\$ 687.27	\$ 658.23	\$ 643.71
SKCVP 3658-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 1 fixed wooden head	\$ 1,624	\$ 1,152.93	\$ 1,104.21	\$ 1,079.85
SKCVP 5480-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 1 fixed wooden head	\$ 1,660	\$ 1,178.27	\$ 1,128.49	\$ 1,103.59
SKCVP 5484-30	30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head	\$ 6,197	\$ 4,399.52	\$ 4,213.62	\$ 4,120.67
SKMH 3658-12	12 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 2 interchangeable heads	\$ 1,624	\$ 1,152.93	\$ 1,104.21	\$ 1,079.85
SKMH 5480-12	12 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 2 interchangeable heads	\$ 1,660	\$ 1,178.27	\$ 1,128.49	\$ 1,103.59
G-STD-0050	Each additional head for 3658-12 or 5480-12, please specify head required	\$ 160	\$ 113.70	\$ 108.90	\$ 106.49

FREEDOM LIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
HYDRAULIC TWO POST LIFT, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH					
35072000	SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms	\$ 29,040	\$ 20,618.70	\$ 19,747.49	\$ 19,311.88
35073000	SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic	\$ 30,057	\$ 21,340.73	\$ 20,439.00	\$ 19,988.14
35040000	SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms	\$ 41,028	\$ 29,130.22	\$ 27,899.37	\$ 27,283.94
35041000	SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 44,044	\$ 31,270.96	\$ 29,949.65	\$ 29,288.99
35042000	SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms	\$ 47,059	\$ 33,411.69	\$ 31,999.93	\$ 31,294.05
35050000	SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms	\$ 47,024	\$ 33,387.07	\$ 31,976.35	\$ 31,270.99
35051000	SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 53,994	\$ 38,335.53	\$ 36,715.72	\$ 35,905.81
35052000	SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms	\$ 57,009	\$ 40,476.26	\$ 38,766.00	\$ 37,910.87
35060000	SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms	\$ 50,642	\$ 35,955.81	\$ 34,436.55	\$ 33,676.92
35061000	SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 58,107	\$ 41,256.23	\$ 39,513.00	\$ 38,641.39
35062000	SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms	\$ 61,122	\$ 43,396.96	\$ 41,563.29	\$ 40,646.45

Standard adapters being supplied with the SK 2.16 models (all supplied in qty of four pieces or one per arm) :

- 35000304 Flat low rubber cap slip-in pick-up pad Ø128x26 mm, only for SK 2.16
- 35000306 Support extension 1.5"
- 37003909 Support extension 3.5"
- 37003916 Support extension 6.3"

Standard adapters being supplied with the SK 2.20/26/30 models (all supplied in qty of four pieces or one per arm) :

- 39225988 Flat rubber cap pick-up pad Ø128x36 mm
- 35000306 Support extension 1.5"
- 37003909 Support extension 3.5"
- 37003916 Support extension 6.3"

ACCESSORIES AND OPTIONS FOR FREEDOM LIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
Options for ONLY SK 2.16:					
33003915	Set telescopic threaded pick-up points, height min. 145 mm max. 245 mm (2 pcs), only for SK 2.16	\$ 983	\$ 698.13	\$ 668.63	\$ 653.88
35000304	Replacement flat low rubber cap for contact Ø128x26 mm (1pc.), only for SK 2.16	\$ 311	\$ 220.88	\$ 211.55	\$ 206.88
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$ 311	\$ 220.88	\$ 211.55	\$ 206.88
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16	\$ 311	\$ 220.88	\$ 211.55	\$ 206.88
30003100	Flat rubber capped contact adapter with external threads to provide height adjustment Ø124 mm (1pc.), only for SK 2.16	\$ 311	\$ 220.88	\$ 211.55	\$ 206.88
35099012	Set chemical anchors and shims, only for SK 2.16	\$ 378	\$ 268.68	\$ 257.33	\$ 251.65

ACCESSORIES AND OPTIONS FOR FREEDOM LIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
Options for SK 2.16 / SK 2.20 / SK 2.26 / SK 2.30					
35000950	LED lighting set -UL-approved- Freedom lift series, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 1,704	\$ 1,210.14	\$ 1,159.01	\$ 1,133.44
OPVL08060	Second control box	\$ 2,486	\$ 1,764.88	\$ 1,690.30	\$ 1,653.02
OPVLRAL01	Extra price for 1 different colour	\$ 835	\$ 592.85	\$ 567.80	\$ 555.28
OPVLRAL01-2	Extra price for 2 different colors	\$ 1,160	\$ 823.60	\$ 788.80	\$ 771.40
OPVL41041	Analogue weight gauge for Freedom Lift	\$ 780	\$ 554.01	\$ 530.60	\$ 518.90
35000918	Set of 2 adapter trays to store 2*4 adapters. To be mounted to the column structure.	\$ 224	\$ 159.32	\$ 152.59	\$ 149.23
35000919	Set of 2 adapter trays to store 2*6 adapters. To be mounted to the column structure.	\$ 260	\$ 184.67	\$ 176.87	\$ 172.97
35000118	Magnetic tool tray, 9.6 x 5.6"	\$ 62	\$ 44.18	\$ 42.31	\$ 41.38
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$ 311	\$ 220.88	\$ 211.55	\$ 206.88
39225988	Flat rubber cap pick-up pad Ø128x36 mm (1pc.)	\$ 367	\$ 260.71	\$ 249.70	\$ 244.19
4310.09.04.00	Flat steel pick-up pad (1 pc)	\$ 84	\$ 59.38	\$ 56.88	\$ 55.62
4310.09.06.00	U-shaped steel pick-up pad (1 pc)	\$ 103	\$ 73.14	\$ 70.05	\$ 68.51
4310.09.05.00	V-shaped steel pick-up pad (1 pc)	\$ 108	\$ 76.77	\$ 73.52	\$ 71.90
35000306	Support extension 1.5"	\$ 80	\$ 56.49	\$ 54.10	\$ 52.91
37003909	Support extension 3.5"	\$ 158	\$ 112.25	\$ 107.51	\$ 105.14
37003916	Support extension 6.3"	\$ 204	\$ 144.84	\$ 138.72	\$ 135.66
37003925	Support extension 10"	\$ 254	\$ 180.33	\$ 172.71	\$ 168.90
37003945	Prism adapter for Sprinter/Crafter, rear side	\$ 209	\$ 148.39	\$ 142.12	\$ 138.99
37003955	Cone adapter for Sprinter/Crafter, front side	\$ 209	\$ 148.39	\$ 142.12	\$ 138.99
35099014	Set chemical anchors and shims for SK 2.20 / SK 2.26 / SK 2.30 (for SK 2.16 see above)	\$ 718	\$ 509.84	\$ 488.29	\$ 477.52

LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
ST 4055	12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns	\$ 24,882	\$ 17,666.13	\$ 16,919.68	\$ 16,546.45
ST 4055-V	12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 25,742	\$ 18,276.64	\$ 17,504.38	\$ 17,118.26
ST 4055-L	12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 26,889	\$ 19,091.36	\$ 18,284.68	\$ 17,881.34
ST 4055-LV	12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 27,750	\$ 19,702.59	\$ 18,870.08	\$ 18,453.83
ST 4070	16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$ 27,298	\$ 19,381.76	\$ 18,562.82	\$ 18,153.34
ST 4070-S	16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 27,298	\$ 19,381.76	\$ 18,562.82	\$ 18,153.34
ST 4070-SV	16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 28,419	\$ 20,177.66	\$ 19,325.08	\$ 18,898.79
ST 4070-V	16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 28,419	\$ 20,177.66	\$ 19,325.08	\$ 18,898.79
ST 4070-L	16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns	\$ 29,908	\$ 21,234.99	\$ 20,337.74	\$ 19,889.11
ST 4070-LV	16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns	\$ 31,027	\$ 22,029.44	\$ 21,098.62	\$ 20,633.21

ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
43509600	LED lighting set -UL-approved- ST4055 & ST4070-S, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 1,704	\$ 1,210.14	\$ 1,159.01	\$ 1,133.44
44509600	LED lighting set -UL-approved- ST4055-LV & ST4070, 6 LED lights, power transformer, brackets & cable set, 110-220V	\$ 2,162	\$ 1,535.30	\$ 1,470.43	\$ 1,438.00
43554915	Hinged transition plates, 11.8" (2 pieces)	\$ 989	\$ 702.47	\$ 672.79	\$ 657.95
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$ 277	\$ 196.98	\$ 188.66	\$ 184.50
44509040	Standard drive on/off ramps, 28.7", (2 pieces)	\$ 1,360	\$ 965.60	\$ 924.80	\$ 904.40
OPVL09250	Second control box for ST 4055 and ST 4070	\$ 1,750	\$ 1,242.73	\$ 1,190.22	\$ 1,163.96
ST 4055/4070 1Phase	Single phase power per control box	\$ 670	\$ 475.80	\$ 455.70	\$ 445.64

HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$ 36,449	\$ 25,878.56	\$ 24,785.10	\$ 24,238.37
ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$ 39,084	\$ 27,749.90	\$ 26,577.36	\$ 25,991.10
ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$ 41,571	\$ 29,515.50	\$ 28,268.36	\$ 27,644.79
ST 4120-10	Four post 30,000lbs capacity, 33 ft runway	\$ 44,595	\$ 31,662.75	\$ 30,324.89	\$ 29,655.95
ST 4175-6	Four post 50,000lbs capacity, 20 ft runway	\$ 70,805	\$ 50,271.79	\$ 48,147.63	\$ 47,085.55
ST 4175-8	Four post 50,000lbs capacity, 26 ft runway	\$ 74,686	\$ 53,027.37	\$ 50,786.78	\$ 49,666.48
ST 4175-9	Four post 50,000lbs capacity, 30 ft runway	\$ 75,378	\$ 53,518.38	\$ 51,257.04	\$ 50,126.37
ST 4175-10	Four post 50,000lbs capacity, 33 ft runway	\$ 78,564	\$ 55,780.78	\$ 53,423.85	\$ 52,245.38
ST 4175-11.5	Four post 50,000lbs capacity, 38 ft runway	\$ 83,276	\$ 59,125.86	\$ 56,627.58	\$ 55,378.45
41509040	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 3' 4"	\$ 12,458	\$ 8,845.38	\$ 8,471.63	\$ 8,284.76
41509030	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 4' 11"	\$ 15,213	\$ 10,801.44	\$ 10,345.04	\$ 10,116.84
ST 4250-6	Four post 66,000lbs capacity, 20 ft runway	\$ 107,442	\$ 76,283.61	\$ 73,060.36	\$ 71,448.73
ST 4250-7	Four post 66,000lbs capacity, 23 ft runway	\$ 110,857	\$ 78,708.23	\$ 75,382.53	\$ 73,719.68
ST 4250-8	Four post 66,000lbs capacity, 26 ft runway	\$ 114,273	\$ 81,133.57	\$ 77,705.40	\$ 75,991.31
ST 4250-9	Four post 66,000lbs capacity, 30 ft runway	\$ 117,695	\$ 83,563.27	\$ 80,032.42	\$ 78,267.00
ST 4250-10	Four post 66,000lbs capacity, 33 ft runway	\$ 121,548	\$ 86,299.29	\$ 82,652.84	\$ 80,829.62
ST 4250-11.5	Four post 66,000lbs capacity, 38 ft runway	\$ 127,340	\$ 90,411.30	\$ 86,591.10	\$ 84,681.01
42509030	Synchronization set needed to make any Eight Post version of ST 4250 above, bridge part 3' 4"	\$ 12,458	\$ 8,845.38	\$ 8,471.63	\$ 8,284.76
42519040	Synchronization set needed to make any Eight Post version of ST 4250 above, bridge part 4' 11"	\$ 15,213	\$ 10,801.44	\$ 10,345.04	\$ 10,116.84
ST 4600-12	Four post 132,000lbs capacity, 39 ft runway	\$ 266,163	\$ 188,975.64	\$ 180,990.76	\$ 176,998.32
ST 4600 VL	ST4600: Various lengths and accessories available upon request	On request	On request	On request	On request

All lifts available in 208 to 460VAC, 3-phase, 575V or 1-phase (extra charge only for 4175 and 4250 models)

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
ST4120 Series					
41209020	Hinged transition plates, length 16.1" (2 pcs)	\$ 1,726	\$ 1,225.35	\$ 1,173.57	\$ 1,147.68
OPVL15165	Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps	\$ (1,775)	\$ (1,260.11)	\$ (1,206.86)	\$ (1,180.24)
41209030	Standard drive on/off ramps, length 42" (2 pcs); ST4120	\$ 2,994	\$ 2,125.53	\$ 2,035.72	\$ 1,990.81
41209100	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps)	\$ 5,909	\$ 4,195.29	\$ 4,018.02	\$ 3,929.39
41209200	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps)	\$ 6,568	\$ 4,663.12	\$ 4,466.09	\$ 4,367.57
41209010	Set long drive on/off ramps, length 63"	\$ 5,211	\$ 3,699.94	\$ 3,543.60	\$ 3,465.43
OPVL16165	Extended length access ramps, instead of standard ramps	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
34007930 4120	Remote Control, Not UL Approved, 32' 10" cable	\$ 1,948	\$ 1,383.22	\$ 1,324.78	\$ 1,295.55
34007940 4120	Remote Control, UL Approved, 32' 10" cable	\$ 3,540	\$ 2,513.70	\$ 2,407.49	\$ 2,354.38
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$ 277	\$ 196.98	\$ 188.66	\$ 184.50
41229350	LED lighting set, UL approved for ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 2,333	\$ 1,656.25	\$ 1,586.26	\$ 1,551.27
41219350	LED lighting set, UL approved for ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 2,956	\$ 2,098.73	\$ 2,010.05	\$ 1,965.71
41209350	LED lighting set, UL approved for ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 3,618	\$ 2,568.74	\$ 2,460.20	\$ 2,405.93
41239350	LED lighting set, UL approved for ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,244	\$ 3,013.40	\$ 2,886.07	\$ 2,822.41
41309150	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$ 323	\$ 229.57	\$ 219.87	\$ 215.02
ST4175 and ST4250 Series					
41509010	Set standard drive on/off ramps ST4175, length 44" (2 pcs)	\$ 3,192	\$ 2,266.02	\$ 2,170.27	\$ 2,122.40
41509050	Extended length ramps ST4175, length 66" (2 pcs)	\$ 4,499	\$ 3,194.45	\$ 3,059.47	\$ 2,991.98
OPVL16170	Extended length ramps ST4175, length 66" (2 pcs), instead of standard ramps	\$ 542	\$ 384.55	\$ 368.30	\$ 360.18
41509060	Extended length ramps ST4175, length 92" (2 pcs)	\$ 7,759	\$ 5,508.99	\$ 5,276.22	\$ 5,159.83
OPVL16171	Extended length ramps ST4175, length 92" (2 pcs), instead of standard ramps	\$ 4,422	\$ 3,139.41	\$ 3,006.76	\$ 2,940.43

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
41509070	Extended length ramps ST4175, length 104.75" (2 pcs)	\$ 9,374	\$ 6,655.40	\$ 6,374.18	\$ 6,233.58
OPVL16172	Extended length ramps ST4175, length 104.75" (2 pcs), instead of standard ramps	\$ 4,784	\$ 3,396.50	\$ 3,252.98	\$ 3,181.23
42509020	Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$ 2,057	\$ 1,460.71	\$ 1,398.99	\$ 1,368.13
OPVL15170	Hinged transition plates ST4175/ST4250, instead of standard ramps	\$ (767)	\$ (544.60)	\$ (521.59)	\$ (510.08)
42519010	Set standard drive on/off ramps ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$ 3,311	\$ 2,350.75	\$ 2,251.43	\$ 2,201.76
42519050	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$ 4,059	\$ 2,881.59	\$ 2,759.83	\$ 2,698.96
OPVL16180	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$ 467	\$ 331.68	\$ 317.67	\$ 310.66
34007930 4175/4250	Remote Control, Not UL Approved, 32' 10" cable	\$ 1,948	\$ 1,383.22	\$ 1,324.78	\$ 1,295.55
34007940 4175/4250	Remote Control, UL Approved, 32' 10" cable	\$ 3,540	\$ 2,513.70	\$ 2,407.49	\$ 2,354.38
42500895	Height limit switch (set) for ST4120 & ST4175 & ST4250	\$ 796	\$ 564.88	\$ 541.01	\$ 529.07
41509190	Two speed lowering (set) for ST4175 & ST4250 (not in combination with height limit switch)	\$ 648	\$ 459.87	\$ 440.44	\$ 430.72
41599013	Set chemical anchors and shims for ST 4175	\$ 561	\$ 398.31	\$ 381.48	\$ 373.07
42599013	Set chemical anchors and shims for ST 4250	\$ 680	\$ 483.04	\$ 462.63	\$ 452.43
ST 4175/4250 1Phase	Single phase power per control box	\$ 680	\$ 483.04	\$ 462.63	\$ 452.43
42539170	LED lighting set, UL approved for ST4175/4250, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 2,956	\$ 2,098.73	\$ 2,010.05	\$ 1,965.71
42519170	LED lighting set, UL approved for ST4175/4250, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 3,618	\$ 2,568.74	\$ 2,460.20	\$ 2,405.93
42529170	LED lighting set, UL approved for ST4175/4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,247	\$ 3,015.57	\$ 2,888.15	\$ 2,824.44
42549170	LED lighting set, UL approved for ST4175/4250, 38' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,909	\$ 3,485.57	\$ 3,338.30	\$ 3,264.66
42519185	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$ 600	\$ 426.00	\$ 408.00	\$ 399.00

Air kit - See accessories for SKYLIFTS
Anti skid, ALU diamond plate - See accessories for SKYLIFTS

HEAVY DUTY SKYLIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
Surface mounted version: is equipped with a set multifunctional flexible approach ramps 77" + endstops.					
41322000	SKY 200 - 62,400 lbs, platform length 23'	\$ 110,306	\$ 78,317.16	\$ 75,007.98	\$ 73,353.40
41323000	SKY 200 - 62,400 lbs, platform length 26'	\$ 112,898	\$ 80,157.35	\$ 76,770.42	\$ 75,076.96
41324000	SKY 200 - 62,400 lbs, platform length 30'	\$ 115,820	\$ 82,232.19	\$ 78,757.59	\$ 77,020.29
41325000	SKY 200 - 62,400 lbs, platform length 33'	\$ 118,574	\$ 84,187.53	\$ 80,630.31	\$ 78,851.70
41326000	SKY 200 - 62,400 lbs, platform length 40'	\$ 126,321	\$ 89,687.82	\$ 85,898.20	\$ 84,003.39
41327000	SKY 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 135,386	\$ 96,123.79	\$ 92,062.22	\$ 90,031.44
41302000	SKY 250 - 78,000 lbs, platform length 23'	\$ 119,784	\$ 85,046.43	\$ 81,452.92	\$ 79,656.16
41303000	SKY 250 - 78,000 lbs, platform length 26'	\$ 121,668	\$ 86,384.02	\$ 82,734.00	\$ 80,908.98
41304000	SKY 250 - 78,000 lbs, platform length 30'	\$ 125,351	\$ 88,999.11	\$ 85,238.58	\$ 83,358.32
41305000	SKY 250 - 78,000 lbs, platform length 33'	\$ 127,193	\$ 90,307.02	\$ 86,491.23	\$ 84,583.33
41306000	SKY 250 - 78,000 lbs, platform length 40'	\$ 135,797	\$ 96,415.64	\$ 92,341.74	\$ 90,304.79
41307000	SKY 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 145,793	\$ 103,512.80	\$ 99,139.02	\$ 96,952.13
Flush mounted version: equipped with 2 sets of hinged movable boards.					
41332000	SKY 200 - 62,400 lbs, platform length 23'	\$ 106,568	\$ 75,662.97	\$ 72,465.94	\$ 70,867.43
41333000	SKY 200 - 62,400 lbs, platform length 26'	\$ 109,379	\$ 77,658.86	\$ 74,377.50	\$ 72,736.82
41334000	SKY 200 - 62,400 lbs, platform length 30'	\$ 112,051	\$ 79,556.27	\$ 76,194.73	\$ 74,513.97
41335000	SKY 200 - 62,400 lbs, platform length 33'	\$ 114,863	\$ 81,552.89	\$ 78,106.99	\$ 76,384.04
41336000	SKY 200 - 62,400 lbs, platform length 40'	\$ 123,130	\$ 87,422.53	\$ 83,728.62	\$ 81,881.66
41337000	SKY 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 132,347	\$ 93,966.40	\$ 89,995.99	\$ 88,010.78

HEAVY DUTY SKYLIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
Flush mounted version: equipped with 2 sets of hinged movable boards.					
41312000	SKY 250 - 78,000 lbs, platform length 23'	\$ 115,575	\$ 82,058.38	\$ 78,591.12	\$ 76,857.49
41313000	SKY 250 - 78,000 lbs, platform length 26'	\$ 117,956	\$ 83,748.66	\$ 80,209.98	\$ 78,440.65
41314000	SKY 250 - 78,000 lbs, platform length 30'	\$ 121,611	\$ 86,343.47	\$ 82,695.15	\$ 80,871.00
41315000	SKY 250 - 78,000 lbs, platform length 33'	\$ 123,438	\$ 87,641.24	\$ 83,938.08	\$ 82,086.51
41316000	SKY 250 - 78,000 lbs, platform length 40'	\$ 132,015	\$ 93,730.31	\$ 89,769.87	\$ 87,789.66
41317000	SKY 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 142,136	\$ 100,916.55	\$ 96,652.47	\$ 94,520.43
SKY200BA	SKY 200 Buy America, additional price	\$ 12,782	\$ 9,074.95	\$ 8,691.50	\$ 8,499.78
SKY250BA	SKY 250 Buy America, additional price	\$ 17,083	\$ 12,128.90	\$ 11,616.41	\$ 11,360.17

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
41309110	LED lighting set, UL approved for SKYLIFT, 23' & 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 3,550	\$ 2,520.22	\$ 2,413.73	\$ 2,360.48
41309120	LED lighting set, UL approved for SKYLIFT, 30' & 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,166	\$ 2,957.63	\$ 2,832.66	\$ 2,770.18
41309130	LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,815	\$ 3,418.95	\$ 3,274.49	\$ 3,202.25
41309145	LED lighting set, UL approved for SKYLIFT, 48' platform, 14 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,842	\$ 4,147.49	\$ 3,972.25	\$ 3,884.62
41309135	LED lighting set, UL approved for SKYLIFT platform extension 19.2", 2 LED fixtures, brackets and cable set, 110-220V	\$ 1,028	\$ 729.99	\$ 699.15	\$ 683.73
41309150	Optional additional power transformer for supply voltage ranges 400, 460 & 575, for more than 12 LED lights	\$ 588	\$ 417.48	\$ 399.84	\$ 391.02
41309160	Second optional additional power transformer for supply voltage ranges 400, 460 & 575, for more than 12 LED lights	\$ 588	\$ 417.48	\$ 399.84	\$ 391.02
OPVL39100	Factory installation of light set on any length SKYLIFT	\$ 1,195	\$ 848.76	\$ 812.90	\$ 794.97
41310905	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension)	\$ 3,579	\$ 2,541.22	\$ 2,433.84	\$ 2,380.15
41310905-WB	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension) - Washbay	\$ 4,119	\$ 2,924.32	\$ 2,800.76	\$ 2,738.98
OPVL16190	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension)	\$ 1,294	\$ 919.01	\$ 880.18	\$ 860.76
OPVL16190-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension) - Washbay	\$ 1,491	\$ 1,058.78	\$ 1,014.04	\$ 991.67
OPVL16191	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension)	\$ 2,489	\$ 1,767.05	\$ 1,692.38	\$ 1,655.05
OPVL16191-WB	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension) - Washbay	\$ 2,878	\$ 2,043.69	\$ 1,957.34	\$ 1,914.16
OPVL16200	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT	\$ 1,294	\$ 919.01	\$ 880.18	\$ 860.76
OPVL16200-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT - Washbay	\$ 1,491	\$ 1,058.78	\$ 1,014.04	\$ 991.67
41300966	Set of 2 ramp spacers with chemical anchors to raise approach ramps to same height as the reversed roll off protections. Only for surface mounted lifts	\$ 1,287	\$ 913.94	\$ 875.32	\$ 856.01
42509020	Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$ 2,019	\$ 1,433.19	\$ 1,372.63	\$ 1,342.36
OPVL15190	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps	\$ (1,440)	\$ (1,022.57)	\$ (979.36)	\$ (957.76)
OPVL15190-WB	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps - Washbay	\$ (2,348)	\$ (1,667.11)	\$ (1,596.67)	\$ (1,561.45)
OPVL15191	Set short drive-on/off ramps, instead of the standard stop plates	\$ 1,317	\$ 934.94	\$ 895.44	\$ 875.69
41300420	Set fixed, extra long, drive on/off ramps (2 pcs), L = 2660 mm / 104 3/4 "(2 pcs)	\$ 6,809	\$ 4,834.04	\$ 4,629.78	\$ 4,527.65
OPVL16185	Set, extra long, fixed drive-on/off ramps instead of the standard flexible approach ramps	\$ 461	\$ 327.34	\$ 313.51	\$ 306.59
OPVL47185	Set of 2 stop plates for flush mounted SKYLIFT instead of the standard set short drive-on/off ramps	\$ -	\$ -	\$ -	\$ -
34007930 SKY	Remote control with 32' 10" cable	\$ 1,948	\$ 1,383.08	\$ 1,324.64	\$ 1,295.42
34007940 SKY	Remote control UL approved with 32' 10" cable	\$ 3,540	\$ 2,513.40	\$ 2,407.20	\$ 2,354.10
OPVL34180	Intrinsic Barrier For SKY lift to allow surface mounted lift to be installed in flush infloor pit	\$ 4,333	\$ 3,076.40	\$ 2,946.41	\$ 2,881.42
OPVL37185	Stainless steel control box instead of standard painted	\$ 6,584	\$ 4,674.71	\$ 4,477.19	\$ 4,378.43
OPVL50185	Set of four stainless steel floor plates instead of standard hot dip galvanized	\$ 5,778	\$ 4,102.59	\$ 3,929.24	\$ 3,842.57
41309161	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 208V/230V	\$ 310	\$ 220.10	\$ 210.80	\$ 206.15
41309162	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 460V/575V	\$ 310	\$ 220.10	\$ 210.80	\$ 206.15
41301963	SKYLIFT circuit breaker & thermal overload kit, SKY200 - 575V	\$ 310	\$ 220.10	\$ 210.80	\$ 206.15
41309185	SKYLIFT additional E-stop on console	\$ 310	\$ 220.10	\$ 210.80	\$ 206.15
SKY575V	575 voltage power option when ordered from factory.	\$ 2,385	\$ 1,693.18	\$ 1,621.64	\$ 1,585.87

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
SKY WB-23	Wash bay model 23' (Galvanized runways and stainless steel control box)	\$ 24,375	\$ 17,306.21	\$ 16,574.96	\$ 16,209.34
SKY WB-26	Wash bay model 26' (Galvanized runways and stainless steel control box)	\$ 24,990	\$ 17,742.90	\$ 16,993.20	\$ 16,618.35
SKY WB-30	Wash bay model 30' (Galvanized runways and stainless steel control box)	\$ 25,604	\$ 18,178.87	\$ 17,410.75	\$ 17,026.69
SKY WB-33	Wash bay model 33' (Galvanized runways and stainless steel control box)	\$ 26,218	\$ 18,614.84	\$ 17,828.29	\$ 17,435.02
SKY WB-40	Wash bay model 40' (Galvanized runways and stainless steel control box)	\$ 27,694	\$ 19,662.75	\$ 18,831.93	\$ 18,416.52
SKY WB-48	Wash bay model 48' (Galvanized runways and stainless steel control box)	\$ 29,291	\$ 20,796.85	\$ 19,918.11	\$ 19,478.74
OPVL29185	2 speed lowering, not in combination with synchronisation set	\$ 2,353	\$ 1,670.73	\$ 1,600.14	\$ 1,564.84
41310960	Park positioning system for Jacking Beam (Set), only one possible per lift	\$ 1,227	\$ 871.21	\$ 834.40	\$ 815.99
41300950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$ 9,769	\$ 6,935.66	\$ 6,642.61	\$ 6,496.08
41300950-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay	\$ 11,198	\$ 7,950.27	\$ 7,614.34	\$ 7,446.38
41300951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$ 11,896	\$ 8,446.34	\$ 8,089.46	\$ 7,911.01
41300951-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay	\$ 13,674	\$ 9,708.63	\$ 9,298.40	\$ 9,093.29
41301952	Synchronization set for connected versions SKYLIFT F.M., without bridge part	\$ 2,189	\$ 1,554.13	\$ 1,488.47	\$ 1,455.63
41300953	Synchronization set for connected versions SKYLIFT S.M., without bridge part	\$ 2,189	\$ 1,554.13	\$ 1,488.47	\$ 1,455.63
41310950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$ 9,769	\$ 6,935.66	\$ 6,642.61	\$ 6,496.08
41310950-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay	\$ 11,220	\$ 7,966.20	\$ 7,629.60	\$ 7,461.30
41310951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$ 11,896	\$ 8,446.34	\$ 8,089.46	\$ 7,911.01
41310951-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay	\$ 13,674	\$ 9,708.63	\$ 9,298.40	\$ 9,093.29
41312955	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$ 16,770	\$ 11,906.57	\$ 11,403.48	\$ 11,151.93
41313955	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$ 20,540	\$ 14,583.22	\$ 13,967.02	\$ 13,658.93
41314955	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$ 24,310	\$ 17,259.86	\$ 16,530.57	\$ 16,165.92
41315955	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$ 28,080	\$ 19,936.50	\$ 19,094.11	\$ 18,672.92
41316955	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$ 35,620	\$ 25,290.51	\$ 24,221.90	\$ 23,687.59
41300448	Set multifunctional flexible approach ramps 77"	\$ 5,524	\$ 3,922.27	\$ 3,756.54	\$ 3,673.67
41300448-WB	Set multifunctional flexible approach ramps 77" - WashBay	\$ 6,353	\$ 4,510.32	\$ 4,319.74	\$ 4,224.45
41300460	One piece middle section "C" length 19.75"	\$ 585	\$ 415.69	\$ 398.13	\$ 389.34
41300460-WB	One piece middle section "C" length 19.75" - WashBay	\$ 675	\$ 479.42	\$ 459.16	\$ 449.03
41300480	One piece middle section "C" length 10"	\$ 470	\$ 333.86	\$ 319.75	\$ 312.70
41300480-WB	One piece middle section "C" length 10" - WashBay	\$ 536	\$ 380.21	\$ 364.14	\$ 356.11
41300940	Platform Extension 4' (not for 48' version), (2 pcs)	\$ 5,969	\$ 4,238.02	\$ 4,058.95	\$ 3,969.41
41300940-WB	Platform Extension 4' (not for 48' version), (2 pcs) - WashBay	\$ 6,865	\$ 4,873.87	\$ 4,667.93	\$ 4,564.96
41310940	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection	\$ 8,283	\$ 5,881.23	\$ 5,632.73	\$ 5,508.47
41310940-WB	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection - WashBay	\$ 9,543	\$ 6,775.62	\$ 6,489.32	\$ 6,346.17
OPVLRAL07	Extra price for 1 different color	\$ 2,340	\$ 1,661.40	\$ 1,591.20	\$ 1,556.10
OPVLRAL07-2	Extra price for 2 different colors	\$ 3,670	\$ 2,605.70	\$ 2,495.60	\$ 2,440.55
41300990	Set chemical anchors and shims for SKYLIFT	\$ 868	\$ 616.29	\$ 590.25	\$ 577.23
41300992	Set chemical anchors and shims for SKYLIFT, special for Seismic regions incl extra anchors	\$ 1,306	\$ 926.98	\$ 887.81	\$ 868.22
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose	\$ 315	\$ 223.78	\$ 214.32	\$ 209.59
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet (Depending on length of lift, more than one kit may be needed)	\$ 427	\$ 303.44	\$ 290.62	\$ 284.21
OPVL39200	Factory installation of air kit on any length SKYLIFT, platform lengths up to 12 meter	\$ 1,040	\$ 738.40	\$ 707.20	\$ 691.60
61001022	Cleaner/assembly set for anti-skid aluminum diamond plate	\$ 274	\$ 194.81	\$ 186.58	\$ 182.46
66701106	Anti-skid, ALU diamond plate 23 3/5" x 49 1/5", 30' length platform lift requires a total of 14 plates, (Price per plate)	\$ 347	\$ 246.23	\$ 235.82	\$ 230.62
41302900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 7 mtr. / 23'	\$ 3,714	\$ 2,636.81	\$ 2,525.40	\$ 2,469.69
41303900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 8 mtr. / 26'	\$ 4,400	\$ 3,124.20	\$ 2,992.19	\$ 2,926.19
41304900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 9 mtr. / 30'	\$ 5,093	\$ 3,615.93	\$ 3,463.14	\$ 3,386.75
41305900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 10 mtr. / 33'	\$ 5,779	\$ 4,103.32	\$ 3,929.94	\$ 3,843.25

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
41306900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 12 mtr. / 40'	\$ 6,471	\$ 4,594.32	\$ 4,400.20	\$ 4,303.14
41307900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 14.5 mtr. / 48'. 4 plates for the extensions and a cleaner set are supplied separately.	\$ 7,844	\$ 5,569.10	\$ 5,333.78	\$ 5,216.13
OPVL44185	Stertil-Guard Anti-skid, applied at the factory for short platforms lengths up to 7 mtr. / 23'	\$ 2,836	\$ 2,013.28	\$ 1,928.21	\$ 1,885.67
OPVL45185	Stertil-Guard Anti-skid, applied at the factory for medium platforms lengths from 8 mtr. / 26' to 9 mtr. / 30'	\$ 3,792	\$ 2,692.58	\$ 2,578.80	\$ 2,521.92
OPVL46185	Stertil-Guard Anti-skid, applied at the factory for longer platforms lengths from 10 mtr. / 33' and longer	\$ 5,841	\$ 4,146.77	\$ 3,971.55	\$ 3,883.95
WP SKY	Wider Platforms 32.68" instead of 29.5"	On request	On request	On request	On request
Tapeswitch Outer Only	Tapeswitch Outer Only, price per foot both runways	\$ 238	\$ 168.74	\$ 161.61	\$ 158.04
Tapeswitch Inner/Outer	Tapeswitch Inner and Outer, price per foot for both runways	\$ 302	\$ 214.36	\$ 205.31	\$ 200.78

ECO LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
ECO60-00	60,000 lbs capacity with two fixed lifting units	\$ 114,725	\$ 81,454.80	\$ 78,013.05	\$ 76,292.17
ECO60-10	60,000 lbs capacity with 10 ft. (120") travel range	\$ 150,244	\$ 106,673.35	\$ 102,166.02	\$ 99,912.36
ECO60-13	60,000 lbs capacity with 13 ft. (156") travel range	\$ 155,775	\$ 110,600.27	\$ 105,927.02	\$ 103,590.39
ECO60-17	60,000 lbs capacity with 17 ft. (204") travel range	\$ 162,716	\$ 115,528.57	\$ 110,647.08	\$ 108,206.34
ECO 90M-10	90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel front pit and 10 ft travel rear pit)	\$ 235,505	\$ 167,208.23	\$ 160,143.09	\$ 156,610.53
EL13	Increase box length from 10 ft. to 13 ft (156") in travel range, price per box	\$ 3,560	\$ 2,527.88	\$ 2,421.07	\$ 2,367.67
EL17	Increase box length from 10 ft. to 17 ft (204") in travel range, price per box	\$ 10,681	\$ 7,583.65	\$ 7,263.22	\$ 7,103.00
Q2200-00	Quick Turn (Shorter end of one moveable pit box to have Fixed and Moveable closer for tandem axles)	\$ 2,688	\$ 1,908.13	\$ 1,827.50	\$ 1,787.19
RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 4,810	\$ 3,415.10	\$ 3,270.80	\$ 3,198.65
Note: Incl. remote control, 35 ft cable, military style quick disconnect					
CWB050-00	Automatic Wheel Base Positioning ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 3,486	\$ 2,475.06	\$ 2,370.48	\$ 2,318.19
CWB090-00	Automatic Wheel Base Positioning ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 6,275	\$ 4,455.25	\$ 4,267.00	\$ 4,172.88
ST110-00	Adapter Cart ECO	\$ 2,155	\$ 1,530.32	\$ 1,465.66	\$ 1,433.32
AS100-00	Adapter Stand	\$ 1,866	\$ 1,325.00	\$ 1,269.02	\$ 1,241.02

Standard with lift: Extruded aluminum (hinged) for moveable mechanism, two each aluminum drop-in covers for fixed and moveable mechanism one 23.5" steel pit cover plate, one bridge bracket, one wall bracket and two end section covers for moveable box. All ECOLIFTS include comprehensive adapter package. At time of order specify Transit, School Bus, or Truck adapters.

Optional Cover Plates for continuous pit:

C01120-00 - C01200-00	12" - 20" cover plate, price each	\$ 936	\$ 664.79	\$ 636.70	\$ 622.66
C01201-00 - C01290-00	20.25" - 29" cover plate, price each	\$ 1,223	\$ 868.58	\$ 831.88	\$ 813.53
C01291-00 - C01370-00	29.25" - 37" cover plate, price each	\$ 1,446	\$ 1,026.57	\$ 983.20	\$ 961.51
C01371-00 - C01450-00	37.25" - 45" cover plate, price each	\$ 1,706	\$ 1,211.28	\$ 1,160.10	\$ 1,134.51
CB322	Additional bridge bracket, price each	\$ 1,260	\$ 894.53	\$ 856.73	\$ 837.83

Replacement drop-in aluminum diamond plate covers:

2004-14-222	Front cover, price each	\$ 980	\$ 696.08	\$ 666.67	\$ 651.97
0413-01-222	Rear cover, price each	\$ 1,099	\$ 780.04	\$ 747.08	\$ 730.60

575 Voltage	Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per motor	\$ 2,175	\$ 1,544.05	\$ 1,478.81	\$ 1,446.19
ECO-EHP	External Hand Pump	\$ 1,243	\$ 882.32	\$ 845.04	\$ 826.40

Shims (Must be ordered with the lift to ship with lift):

03112-01	FS1 0.063" thickness, price each	\$ 12	\$ 8.40	\$ 8.04	\$ 7.86
03112-02	FS2 0.125" thickness, price each	\$ 13	\$ 9.16	\$ 8.77	\$ 8.58
03112-03	FS4 0.250" thickness, price each	\$ 14	\$ 9.92	\$ 9.50	\$ 9.29
03112-04	FS8 0.500" thickness, price each	\$ 19	\$ 13.74	\$ 13.16	\$ 12.87

Hose	Add'l field installed hyd. hose over standard length provided (see ECO order form), price per ft. per hose	\$ 15	\$ 10.69	\$ 10.23	\$ 10.01
Pendant cable	Add'l cable length over standard length provided, sold in 5' increments(see ECO order form), price per ft.	\$ 9	\$ 6.11	\$ 5.85	\$ 5.72

DIAMOND LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
DIAMOND 64 MODELS, CASSETTE					
DIAMOND 64-00	64,000 lbs capacity with two fixed lifting units, incl. cassettes	\$ 101,169	\$ 71,830.12	\$ 68,795.04	\$ 67,277.50
DIAMOND 64-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 133,930	\$ 95,090.32	\$ 91,072.42	\$ 89,063.47
DIAMOND 64-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 138,861	\$ 98,591.15	\$ 94,425.33	\$ 92,342.42
DIAMOND 64-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 145,049	\$ 102,984.82	\$ 98,633.35	\$ 96,457.61
DIAMOND 64 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 64CR-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 163,740	\$ 116,255.47	\$ 111,343.27	\$ 108,887.17
DIAMOND 64CR-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 167,854	\$ 119,176.50	\$ 114,140.88	\$ 111,623.06
DIAMOND 64CR-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 176,032	\$ 124,982.55	\$ 119,701.60	\$ 117,061.12
DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION					
DIAMOND 64F-00	64,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$ 79,040	\$ 56,118.29	\$ 53,747.09	\$ 52,561.50
DIAMOND 64F-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 97,632	\$ 69,318.40	\$ 66,389.45	\$ 64,924.98
DIAMOND 64F-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 101,830	\$ 72,298.95	\$ 69,244.07	\$ 67,716.62
DIAMOND 64F-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 107,826	\$ 76,556.67	\$ 73,321.88	\$ 71,704.49
DFIFL	Increased frame length, price per ft.	\$ 1,481	\$ 1,051.57	\$ 1,007.14	\$ 984.92
DFSF	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 878	\$ 623.15	\$ 596.82	\$ 583.66
DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS					
DIAMOND 64FCR-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 123,138	\$ 87,428.04	\$ 83,733.90	\$ 81,886.83
DIAMOND 64FCR-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 130,597	\$ 92,724.11	\$ 88,806.19	\$ 86,847.23
DIAMOND 64FCR-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 141,431	\$ 100,415.78	\$ 96,172.86	\$ 94,051.40
DFCRIFL	Increased frame length, price per ft.	\$ 2,752	\$ 1,953.97	\$ 1,871.40	\$ 1,830.12
DFCRSF	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,261	\$ 895.05	\$ 857.23	\$ 838.32
DIAMOND 96 MODELS, CASSETTE					
DIAMOND 96-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 209,933	\$ 149,052.56	\$ 142,754.57	\$ 139,605.57
DEL13-96	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 2,940	\$ 2,087.40	\$ 1,999.20	\$ 1,955.10
DEL17-96	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 8,800	\$ 6,248.00	\$ 5,984.00	\$ 5,852.00
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
DIAMOND 96 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 96CR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 275,148	\$ 195,354.73	\$ 187,100.30	\$ 182,973.09
DIAMOND 96CR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, (10 ft travel for movable cylinder), incl. cassettes	On demand	On demand	On demand	On demand
DIAMOND 96CR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On demand	On demand	On demand	On demand
DEL13-96CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,460	\$ 3,166.60	\$ 3,032.80	\$ 2,965.90
DEL17-96CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 13,400	\$ 9,514.00	\$ 9,112.00	\$ 8,911.00
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION					
DIAMOND 96F-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$ 144,450	\$ 102,559.34	\$ 98,225.85	\$ 96,059.10
DIAMOND 96F-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On demand	On demand	On demand	On demand
DIAMOND 96F-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On demand	On demand	On demand	On demand
DFIFL	Increased frame length, price per ft.	\$ 1,481	\$ 1,051.57	\$ 1,007.14	\$ 984.92
DFSF	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 878	\$ 623.15	\$ 596.82	\$ 583.66
DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS					
DIAMOND 96FCR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$ 192,848	\$ 136,922.40	\$ 131,136.94	\$ 128,244.22
DIAMOND 96FCR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On demand	On demand	On demand	On demand
DIAMOND 96FCR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On demand	On demand	On demand	On demand
DFCRIFL	Increased frame length, price per ft.	\$ 2,752	\$ 1,953.97	\$ 1,871.40	\$ 1,830.12
DFCRSF	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,261	\$ 895.05	\$ 857.23	\$ 838.32

DIAMOND LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
DIAMOND 70 MODELS, CASSETTE					
DIAMOND 70-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 154,314	\$ 109,563.20	\$ 104,933.76	\$ 102,619.05
DIAMOND 70-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 159,994	\$ 113,596.05	\$ 108,796.22	\$ 106,396.30
DIAMOND 70-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 167,125	\$ 118,658.43	\$ 113,644.70	\$ 111,137.83
DIAMOND 70 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 70CR-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 193,812	\$ 137,606.54	\$ 131,792.18	\$ 128,885.00
DIAMOND 70CR-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 198,893	\$ 141,213.92	\$ 135,247.13	\$ 132,263.74
DIAMOND 70CR-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 208,554	\$ 148,073.01	\$ 141,816.40	\$ 138,688.10
DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION					
DIAMOND 70F-00	70,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$ 88,357	\$ 62,733.41	\$ 60,082.70	\$ 58,757.35
DIAMOND 70F-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 112,491	\$ 79,868.64	\$ 76,493.91	\$ 74,806.54
DIAMOND 70F-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 117,328	\$ 83,302.60	\$ 79,782.77	\$ 78,022.85
DIAMOND 70F-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 124,238	\$ 88,209.19	\$ 84,482.04	\$ 82,618.47
DFIFL	Increased frame length, price per ft.	\$ 1,481	\$ 1,051.57	\$ 1,007.14	\$ 984.92
DFSF	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 878	\$ 623.15	\$ 596.82	\$ 583.66
DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS					
DIAMOND 70FCR-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 146,140	\$ 103,759.35	\$ 99,375.15	\$ 97,183.05
DIAMOND 70FCR-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 154,553	\$ 109,732.95	\$ 105,096.34	\$ 102,778.04
DIAMOND 70FCR-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 166,778	\$ 118,412.26	\$ 113,408.92	\$ 110,907.26
DFCRIFL	Increased frame length, price per ft.	\$ 2,752	\$ 1,953.97	\$ 1,871.40	\$ 1,830.12
DFCRSF	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,261	\$ 895.05	\$ 857.23	\$ 838.32
All DIAMOND LIFTS include comprehensive adapter package. At time of order specify Transit, School Bus, or Transit.					
DIAMOND 105 MODELS, CASSETTE					
DIAMOND 105-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 241,885	\$ 171,738.12	\$ 164,481.58	\$ 160,853.31
DIAMOND 105-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On demand	On demand	On demand	On demand
DIAMOND 105-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On demand	On demand	On demand	On demand
DEL13-105	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 3,200	\$ 2,272.00	\$ 2,176.00	\$ 2,128.00
DEL17-105	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 9,300	\$ 6,603.00	\$ 6,324.00	\$ 6,184.50
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	On demand	On demand	On demand
DIAMOND 105 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 105CR-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 306,740	\$ 217,785.29	\$ 208,583.09	\$ 203,982.00
DIAMOND 105CR-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On demand	On demand	On demand	On demand
DIAMOND 105CR-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On demand	On demand	On demand	On demand
DEL13-105CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,850	\$ 3,443.50	\$ 3,298.00	\$ 3,225.25
DEL17-105CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 14,100	\$ 10,011.00	\$ 9,588.00	\$ 9,376.50
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 Note: Including remote control, 35 ft cable, military style quick disconnect	\$ 4,810	\$ 3,414.85	\$ 3,270.56	\$ 3,198.41
BEACON-00	Red/Green stack light for HOME position for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 2,452	\$ 1,740.86	\$ 1,667.30	\$ 1,630.52
TWO SPEED-00	Two-speed lowering for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 2,516	\$ 1,786.42	\$ 1,710.94	\$ 1,673.20
F40-00	Festoon for remote control, 40 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 6,024	\$ 4,276.83	\$ 4,096.12	\$ 4,005.76
F60-00	Festoon for remote control, 60 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 8,430	\$ 5,985.35	\$ 5,732.45	\$ 5,606.00
T12312-00	Remote Control Bracket for use with festoon, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 826	\$ 586.41	\$ 561.63	\$ 549.24
CWB050-00	Automatic Wheel Base Positioning ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 3,486	\$ 2,474.97	\$ 2,370.40	\$ 2,318.11
CWB090-00	Automatic Wheel Base Positioning ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 6,275	\$ 4,455.40	\$ 4,267.14	\$ 4,173.01
575 Voltage	Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per motor	\$ 2,175	\$ 1,544.05	\$ 1,478.81	\$ 1,446.19

DIAMOND LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
D662P-00	Assembly Sump Pump DIA64 / DIA70 / DIA96 / DIA105. One Sump Pump per cassette. Price is for each Sump Pump.	\$ 2,863	\$ 2,032.60	\$ 1,946.71	\$ 1,903.77
ST130-00	Adapter Cart Diamond	\$ 1,988	\$ 1,411.65	\$ 1,352.00	\$ 1,322.18
AS100-00	Adapter Stand	\$ 1,797	\$ 1,275.70	\$ 1,221.80	\$ 1,194.85
Optional adapters:					
A06122-00	Adapter 4" extension, price each	\$ 387	\$ 274.83	\$ 263.22	\$ 257.41
A08122-00	Adapter 6" extension, price each	\$ 395	\$ 280.71	\$ 268.85	\$ 262.92
A09222-00	Adapter Tall Vertical 9 x 3.7", price each	\$ 561	\$ 398.29	\$ 381.46	\$ 373.05
A09222-00R1	Adapter Tall Vertical 9 x 4.23", price each	\$ 1,191	\$ 845.61	\$ 809.88	\$ 792.02
A09222-00R2	Adapter Tall Vertical, centered, 9 x 4.23", price each	\$ 1,191	\$ 845.81	\$ 810.07	\$ 792.20
A10122-00	7" High Adapter Extension, price each	\$ 449	\$ 318.92	\$ 305.45	\$ 298.71
A10222-00	Adapter Tall Vertical 9 x 4.2", price each	\$ 449	\$ 318.92	\$ 305.45	\$ 298.71
A11122-00	Adapter 9" extension, price each	\$ 462	\$ 327.74	\$ 313.89	\$ 306.97
A15252-00	Adapter wide 14 x 11.77", price each	\$ 834	\$ 592.29	\$ 567.26	\$ 554.75
A16122-00	Adapter Cradle 3.7 x 6", price each	\$ 226	\$ 160.20	\$ 153.43	\$ 150.04
A17122-00	Adapter 10" Wide Cradle 6 x 10", price each	\$ 595	\$ 422.54	\$ 404.69	\$ 395.76
A17132-00	Adapter flat accessory (use with A17122-00), price each	\$ 691	\$ 490.88	\$ 470.14	\$ 459.77
A17142-00	Adapter "H" Accessor 6 x 8" (use with A17122-00), price each	\$ 755	\$ 535.71	\$ 513.07	\$ 501.75
A18122-00	Adapter Swivel Cradle 3.7 x 6", price each	\$ 245	\$ 174.16	\$ 166.80	\$ 163.12
A19122-00	Adapter 10" wide cradle sideways 6 x 10", price each	\$ 601	\$ 426.95	\$ 408.91	\$ 399.89
A20122-00	Adapter swivel cradle, 6"x6", price each	\$ 602	\$ 427.68	\$ 409.61	\$ 400.58
A21122-00	Adapter vertical axle 9 x 3.7", price each	\$ 431	\$ 305.70	\$ 292.78	\$ 286.32
A22122-00	Adapter Vertical Convered Low 3.7 x 4", price each	\$ 474	\$ 336.56	\$ 322.34	\$ 315.23
A23122-00	Adapter vertical wider axle 9 x 7.7", price each	\$ 651	\$ 462.22	\$ 442.69	\$ 432.92
A24122-00	Adapter vertical wider axle 9 x 6.2", price each	\$ 574	\$ 407.84	\$ 390.61	\$ 381.99
A25122-00	Adapter low vertical 4 x 3.7", price each	\$ 407	\$ 288.80	\$ 276.59	\$ 270.49
A26122-00	Adapter Low Vertical Wide 6.2 x 4", price each	\$ 492	\$ 349.05	\$ 334.31	\$ 326.93
A27122-00	Adapter Front Orion 3.7 x 5.5", price each	\$ 407	\$ 288.80	\$ 276.59	\$ 270.49
A28122-00	Adapter vertical low wide 6.2 x 4", price each	\$ 522	\$ 370.36	\$ 354.72	\$ 346.89
A29122-00	Adapter vertical 1 x 3 x 7.8", price each	\$ 522	\$ 370.36	\$ 354.72	\$ 346.89
A30122-00	Adapter Flip-Up, 9.44 x 6, price each	\$ 1,051	\$ 745.87	\$ 714.36	\$ 698.60
A31122-00	Adapter Flat Top Block 3 x 6 x 2.75", price each	\$ 386	\$ 274.10	\$ 262.52	\$ 256.73
A32122-00	Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each	\$ 713	\$ 506.31	\$ 484.92	\$ 474.22
A32132-00	Adapter Flat Base, 6 x 10", price each	\$ 923	\$ 655.49	\$ 627.79	\$ 613.94
A32142-00	Adapter Flat Base, 6 x 10", price each	\$ 923	\$ 655.49	\$ 627.79	\$ 613.94
A32152-00	Adapter Centering Block, price each	\$ 941	\$ 667.98	\$ 639.75	\$ 625.64
A33122-00	Adapter vertical wider axle 9 x 7.7" SP pin, price each	\$ 661	\$ 469.57	\$ 449.73	\$ 439.81
A34122-00	Differential Adapter (only for DIAMOND LIFT)	\$ 3,224	\$ 2,289.06	\$ 2,192.34	\$ 2,143.98
A35122-00	Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 470	\$ 333.62	\$ 319.53	\$ 312.48
A38122-00	Adapter Vertical 9 x 7.7", price each	\$ 643	\$ 456.34	\$ 437.06	\$ 427.42
A41122-00	Adapter Vertical Narrow 7.1 x 3.7", price each	\$ 462	\$ 327.74	\$ 313.89	\$ 306.97
A43122-00	Adapter crown top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 391	\$ 277.77	\$ 266.04	\$ 260.17
A45110-00	Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each	\$ 522	\$ 370.36	\$ 354.72	\$ 346.89
A50122-00	Adapter NOVA Rear 7.5 x 8.25", price each	\$ 631	\$ 448.26	\$ 429.32	\$ 419.85
A51122-00	Adapter Rear Transit 7.5 x 8.25", price each	\$ 656	\$ 465.89	\$ 446.21	\$ 436.37
A52122-00	Adapter New Flyer Rear 5 x 7.75", price each	\$ 631	\$ 448.26	\$ 429.32	\$ 419.85
A53142-00	Cradle Adapter Weldment	\$ 246	\$ 174.89	\$ 167.50	\$ 163.81
A56122-00	Adapter Vertical 0.75 x 4 x 9", price each	\$ 474	\$ 336.56	\$ 322.34	\$ 315.23
A57122-00	Adapter Pocket 7.75" x 10", price each	\$ 680	\$ 482.80	\$ 462.40	\$ 452.20

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder.					
The JB is standard equipped with two flat adapters and two 4" extensions.					
39617160	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 10,943	\$ 7,769.22	\$ 7,440.94	\$ 7,276.80
39617110	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 10,943	\$ 7,769.22	\$ 7,440.94	\$ 7,276.80
39617010	Set support arms for ST 4120	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39615250	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 10,943	\$ 7,769.22	\$ 7,440.94	\$ 7,276.80
39615140	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 10,943	\$ 7,769.22	\$ 7,440.94	\$ 7,276.80
39615040	Set support arms for ST 4175 new style (for lifts manufactured from July 2015)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39616160	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 12,067	\$ 8,567.29	\$ 8,205.29	\$ 8,024.29
39616110	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 12,067	\$ 8,567.29	\$ 8,205.29	\$ 8,024.29
39616010	Set support arms for ST 4250 20'/26'/30' platforms	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39616020	Set support arms for ST 4250 33'/38' platforms	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39618160	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 12,067	\$ 8,567.29	\$ 8,205.29	\$ 8,024.29
39618110	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 12,067	\$ 8,567.29	\$ 8,205.29	\$ 8,024.29
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
Options for JB-70-2 / JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:					
39615180	Diff. beam for JB-70-2 - JB-200-2, for lifting both rams at one point	\$ 955	\$ 677.85	\$ 649.21	\$ 634.89
39615130	T4-2 Crossbeam adapter, capacity 44,000 lbs, adjustable 7.75" - 29.5", total length 36", height 5.7"	\$ 2,216	\$ 1,573.69	\$ 1,507.19	\$ 1,473.95
39615135	T6-2 Crossbeam adapter, capacity 28,600 lbs, adjustable 28.5" - 48.5", total length 48", height 3.5"	\$ 4,931	\$ 3,500.78	\$ 3,352.86	\$ 3,278.90
58.693.52	Leaf Spring For Universal Jacking Beam	\$ 243	\$ 172.36	\$ 165.08	\$ 161.44
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$ 231	\$ 163.67	\$ 156.75	\$ 153.30
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$ 231	\$ 163.67	\$ 156.75	\$ 153.30
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$ 243	\$ 172.36	\$ 165.08	\$ 161.44
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$ 243	\$ 172.36	\$ 165.08	\$ 161.44
39991000	Trolley for JB-70-2 - JB-200-2	\$ 738	\$ 524.32	\$ 502.17	\$ 491.09
39615125	Wall bracket for storage of up to 4 adapters	\$ 218	\$ 154.98	\$ 148.43	\$ 145.16
39615120	Wall bracket for storage of up to 8 adapters	\$ 243	\$ 172.36	\$ 165.08	\$ 161.44
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams	\$ 896	\$ 635.85	\$ 608.98	\$ 595.55
Air kit - See accessories for SKYLIFTS					
39630250	PJ-100-1S, frame 23.23" - 35", single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$ 10,338	\$ 7,339.77	\$ 7,029.64	\$ 6,874.57
39630100	PJ-100-1W, frame 33.5" - 45.28", single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$ 10,338	\$ 7,339.77	\$ 7,029.64	\$ 6,874.57
39630300	PJ-150-1S, frame 23.23" - 35", single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$ 11,743	\$ 8,337.71	\$ 7,985.42	\$ 7,809.27
39630150	PJ-150-1W, frame 33.5" - 45.28", single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$ 11,743	\$ 8,337.71	\$ 7,985.42	\$ 7,809.27
39630350	PJ-200-1S, frame 23.23" - 35", single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$ 12,900	\$ 9,158.96	\$ 8,771.96	\$ 8,578.46
39630200	PJ-200-1W, frame 33.5" - 45.28", single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$ 12,900	\$ 9,158.96	\$ 8,771.96	\$ 8,578.46

AIR-HYDRAULIC PIT JACKS

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
39630450	PJ-100-2S, frame 23.23" - 35", tandem single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$ 10,925	\$ 7,756.91	\$ 7,429.15	\$ 7,265.27
39630400	PJ-100-2W, frame 33.5" - 45.28", tandem single stage pistons, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$ 10,925	\$ 7,756.91	\$ 7,429.15	\$ 7,265.27
39630550	PJ-150-2S, frame 23.23" - 35", tandem single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$ 12,332	\$ 8,755.58	\$ 8,385.62	\$ 8,200.65
39630500	PJ-150-2W, frame 33.5" - 45.28", tandem single stage pistons, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$ 12,332	\$ 8,755.58	\$ 8,385.62	\$ 8,200.65
39630650	PJ-200-2S, frame 23.23" - 35", tandem single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$ 13,487	\$ 9,576.10	\$ 9,171.47	\$ 8,969.16
39630600	PJ-200-2W, frame 33.5" - 45.28", tandem single stage pistons, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$ 13,487	\$ 9,576.10	\$ 9,171.47	\$ 8,969.16

The support arms have to be ordered separately from the pit jack.

39630010	Set support arms for pit jacks (always fill out pit specification form and send with order)	\$ 1,291	\$ 916.84	\$ 878.10	\$ 858.73
39660100	FPJ-150 F, Floor moving air hydraulic pit jack, single ram, with telescopic fixed cylinder, capacity 33,000 lbs, height 36' 2/8" - 86' 7/8", platform 33' 2/8" x 39' 4/8"	\$ 14,886	\$ 10,568.97	\$ 10,122.40	\$ 9,899.11
39660200	FPJ-150 U, Floor moving air hydraulic pit jack, single ram, with telescopic and sideways movable cylinder, capacity 33,000 lbs, height 36' 2/8" - 86' 7/8", platform 33' 2/8" x 42' 2/8"	\$ 15,566	\$ 11,052.02	\$ 10,585.03	\$ 10,351.54

Options for air-hydraulic pit jacks:

39660210	Gearbox saddle, capacity 1 ton (only for single piston units)	\$ 2,019	\$ 1,433.19	\$ 1,372.63	\$ 1,342.36
39630120	AB, Support bridge, capacity 44,000 lbs, usable in combination with various adapters	\$ 4,251	\$ 3,018.47	\$ 2,890.92	\$ 2,827.15
39630121	ABT, Variable Support bridge, capacity 33,000 lbs, usable in combination with various adapters	\$ 5,337	\$ 3,789.01	\$ 3,628.92	\$ 3,548.87
39630125	T4-1 Crossbeam adapter, capacity 33,000 lbs, height 4.0", adjustable 7.8" - 29.5", only for single piston versions	\$ 2,091	\$ 1,484.61	\$ 1,421.88	\$ 1,390.52
39615130	T4-2 Crossbeam adapter, capacity 33,000 lbs, height 5.7", adjustable 7.8" - 29.5", only for tandem piston versions	\$ 2,091	\$ 1,484.61	\$ 1,421.88	\$ 1,390.52
39630135	T6-1 Crossbeam adapter, capacity 28,600 lbs, adjustable 28.54" - 48.23" with wheel, height 3.54", only for single pistons versions	\$ 4,936	\$ 3,504.40	\$ 3,356.33	\$ 3,282.29
39615135	T6-2 Crossbeam adapter, capacity 28,600 lbs, adjustable 28.54" - 48.23" with wheel, height 3.54", only for tandem piston versions	\$ 4,936	\$ 3,504.40	\$ 3,356.33	\$ 3,282.29
39615137	T6-2 W Crossbeam adapter, capacity 28,600 lbs, adjustable 44.10" - 67.72" with wheel, height 3.54", only for twin ram versions	\$ 5,296	\$ 3,760.16	\$ 3,601.28	\$ 3,521.84
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs, only for single piston units	\$ 3,040	\$ 2,158.12	\$ 2,066.93	\$ 2,021.33
39630145	Integrated safety stand, capacity 44,000 lbs, only for single stroke versions	\$ 1,405	\$ 997.22	\$ 955.09	\$ 934.02
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$ 231	\$ 163.67	\$ 156.75	\$ 153.30
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$ 231	\$ 163.67	\$ 156.75	\$ 153.30
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$ 243	\$ 172.36	\$ 165.08	\$ 161.44
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$ 243	\$ 172.36	\$ 165.08	\$ 161.44
39615125	Wall bracket for storage of up to 4 adapters	\$ 218	\$ 154.98	\$ 148.43	\$ 145.16
39615120	Wall bracket for storage of up to 8 adapters	\$ 243	\$ 172.36	\$ 165.08	\$ 161.44

HYDRAULIC TRANSMISSION JACK

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
TJ-3	Capacity 660 lbs, height 44.29" - 76.77"	\$ 1,186	\$ 842.24	\$ 806.66	\$ 788.86
TJ-6	Capacity 1,320 lbs, height 44.29" - 76.77"	\$ 1,363	\$ 967.53	\$ 926.65	\$ 906.21
TJ-10	Capacity 2,200 lbs, height 46.45" - 78.74"	\$ 1,729	\$ 1,227.52	\$ 1,175.65	\$ 1,149.72
TJ-12	Capacity 2,645 lbs, height 35.63" - 75.59"	\$ 4,697	\$ 3,334.94	\$ 3,194.03	\$ 3,123.57

Options for hydraulic transmission jacks:

9058800	Adjustable saddle 14.17" x 14.57", capacity 600 lbs	\$ 1,446	\$ 1,026.92	\$ 983.52	\$ 961.83
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs (only for TJ-10 & TJ-12)	\$ 3,564	\$ 2,530.35	\$ 2,423.44	\$ 2,369.98
9059500	Saddle for mounting springs, fuel tanks etc.	\$ 85	\$ 60.11	\$ 57.57	\$ 56.30
3601400	Rubber pad for saddle	\$ 85	\$ 60.11	\$ 57.57	\$ 56.30

WHEEL DOLLIES

Model Number	Description	List Price	29% off 1 Lift	32% off 2-7 Lifts	33.5% off 8-up lifts
39650100	WDA-500 Hydraulic, capacity 1,100 lbs, for wheel diameter 10.63" - 51.18", height 4.17" - 28.23"	\$ 4,330	\$ 3,074.23	\$ 2,944.33	\$ 2,879.38
39650150	WD-1500N Hydraulic, capacity 3,300 lbs, for wheel diameter 45.27" - 56.69", height 6.3" - 29.53"	\$ 7,920	\$ 5,623.41	\$ 5,385.80	\$ 5,267.00
39650200	WD-1500NT Hydraulic, capacity 3,300 lbs, for wheel diameter 45.27" - 56.69", height 6.3" - 29.53" with integrated wheel turning system for easy alignment of wheel holes to wheel bolts	\$ 7,920	\$ 5,623.41	\$ 5,385.80	\$ 5,267.00
39650210	Flexible heavy duty crane arm, capacity 550 lbs, for WDA-500	\$ 522	\$ 370.79	\$ 355.12	\$ 347.29